

VOLUME 3



POPULAR ITEMS CATALOG

**We are not just
Truck Parts anymore!**

www.cookbrosindustrial.com



INDEX

PRODUCT	PAGE	DESCRIPTION
---------	------	-------------

INDUSTRIAL STORAGE


4	Storage Bins and Drawer Cabinets
5	Compartment Boxes, Racks and Bases

FASTENERS & HARDWARE

6-11	Grade 8 Bin & Fastener Assortment
12-13	Grade 8 Hex Cap Screws—COARSE THREAD (USS)
14-15	Grade 8 Hex Cap Screws—FINE THREAD (SAE)
16	Grade 8 Hex Nuts & Washers
17	Grade 8 USS Flange Bolt & Flange Lock Nuts
18	Grade 5 Hex Nuts & Washers
19, 20	Grade 5 Hex Cap Screws—COARSE THREAD (USS)
21	Stainless Steel Hex Cap Screws—COARSE THREAD (USS)
22	Stainless Steel Hex Nuts & Washers
23	Metric Grade 10.9 Hex Cap Screws—COARSE THREAD (USS)
24	Metric Grade 10.9 Hex Cap Screws—FINE THREAD (SAE)
25	Metric Hex Nuts & Washers
26	Self-Drilling Tek Screws, K-Lath Screws and Torx Screws
27	Proffered Max Drive Screws
28-31	Pipe Fittings
32-33	Grease Fittings
34	Insert Bits, Power Bits, Magnetic Nut Setters and Bit Holders
35	Threaded Rods and Coupling Nuts

CUTTING TOOLS AND ABRASIVE PRODUCTS

36-37	Drill Bits
38	Twister Sets, Maintenance Reamers, Step Reamers
39	Step Reamers Set and Annular Cutters
40	Annular Cutters, Silver & Deming Drills
41	Spiral Pointed Taps
42	Bi-Metal Hole Saws and Arbors
43	Reciprocating Blades & Portaband Blades
44-45	Cutting Wheels & Grinding Wheels
46-47	Wire Wheels, Flap Wheels, Flap Discs and Conditioning Discs
48	Specialty Cutting Wheels and Blades Abrasive Rolls, Sand Paper and Hand Pads



INDEX

PRODUCT	PAGE	DESCRIPTION
---------	------	-------------

HAND TOOLS, TAPES, BATTERIES AND EXTENSION CORDS

49	Scratch Brushes, Brooms and Dust Pans
50-51	Brooms, Handles & Braces
52-53	Rakes, Shovels, Hand Tools
54	Utility Blades, Razor Blades, Circular Saw Blades
55	Premium and Economy Grade Electrical Tapes
56	General Purpose Tapes, Tape Gun
57	Painters Tape, Teflon Tape, Barricade Tape, Caution Tape
58	Batteries
59	Extension Cords



SAFETY PRODUCTS

60-61	Safety Glasses, Dust Masks and Ear Protection
62	Rain Jackets and Bib Pants
63	Safety Vests and Boots
64-67	Nitrile, General Purpose, Leather, Winter and Welding Gloves
68	Absorbent Pads, Socks, Pillows and Spill Kits
69	First Aid Kits, Coolers, Gas Cans & Propane Products



MARKING SUPPLIES

70	Paint Markers, Permanent Markers and Lumber Crayons
71	Marking Paint, Marking Wands, Traffic Cones
72	Measuring Tapes, Levels And Marking Chalk
73-74	Painting Supplies



MATERIAL HANDLING

75	Cable Ties and Mounting Pads
76-78	Slings, Hooks, Shackle, Ratchet and Tarp Straps
79	Container Lines



SHOP SUPPLIES

80-81	Air Hose& Air Hose Accessories
82-85	Pneumatic Section
86	Shop Rags, Towels and Wiper Products
87	Janitorial, Paper Products and Dispensers
88	Garbage Bags
89	General Purpose Cleaners, Hand Wipes, and Glass Cleaner
90-91	Tarps, Step Ladders, Plastic, Strapping
92	Hand Cleaner
93-97	Protective Lubricants, Brake Cleaners and Caulking
98	Seasonal Buys




COOKBROSINDUSTRIAL.COM

STORAGE BINS

PART NUMBER	DIM: WxDxH (In.)	BINS	BIN : WxDxH (In.)
359-95	33-3/4 X 12 X 24	40	4 X 11-7/8 X 4-1/2
363-95	33-3/4 X 12 X 42	72	4 X 11-7/8 X 4-1/2
364-95	PARTS BIN BASE		



359-95




363-95

DRAWER CABINETS

PART NUMBER	DIM: WxDxH (In.)	DRAWERS	DRAWER: WxDxH (In.)
007-95	33-3/4 X 11-5/8 X 14-3/8	24	5-3/8 X 11-1/4 X 2-3/4
017-95	KIT INCLUDES (2) 007-95 CABINETS AND (1) 364-95 BASE		
030-95	33-3/4 X 11-3/4 X 12-7/8	18	5-3/8 X 11-1/4 X 3-1/2
364-95	DRAWER CABINET BASE		



007-95



364-95



017-95



030-95

COMPARTMENT BOXES, SLIDE RACKS & BASES

PART NUMBER	DIM: WxDxH (In.)	COMPARTMENTS
115-95	18 X 12 X 3	12
113-95	18 X 12 X 3	16
111-95	18 X 12 X 3	20
102-95	18 X 12 X 3	24
107-95	18 X 12 X 3	32
117-95	18 X 12 X 3	6 VERTICAL
125-95	18 X 12 X 3	6 HORIZONTAL
119-95	18 X 12 X 3	H ADJUSTABLE
131-95	18 X 12 X 3	H&V ADJUSTABLE
123-95	18 X 12 X 3	EMPTY SHELL



115-95



113-95



111-95



102-95



107-95



117-95



125-95



119-95



131-95



123-95



302-95




303-95

PART NUMBER	DIM: WxDxH (In.)
302-95	20 X 15-3/4 X 8-1/8
303-95	20 X 15-3/4 X 15



PART NUMBER	DIM: WxDxH (In.)
304-95	20-5/8 X 12-5/8 X 15-5/8

GRADE 8 BIN AND FASTENER ASSORTMENT



250-875-8

Call for Pricing

ASSORTMENT INCLUDES :

72 Hole Cabinet

2,965 Piece Grade 8 Fasteners

- Hex Cap Screws
- Hex Nuts
- Top Lock Nuts
- Universal Flat Washers
- Lock Washers

OTHER SIZES AVAILABLE!

**ASK ABOUT OUR
REPLENISHMENT PROGRAM!**

****SEE NEXT PAGE FOR DETAILED LIST OF FASTENERS****

GRADE 8 ASSORTMENT INCLUDES :

PART NUMBER	DESCRIPTION	QTY
-------------	-------------	-----

250-20-050	1/4"-20 x 1/2"	100
250-20-075	1/4"-20 x 3/4"	100
250-20-100	1/4"-20 x 1"	100
250-20-150	1/4"-20 x 1-1/2"	100
250-20-200	1/4"-20 x 2"	100
250-20-HXN	1/4"-20 Hex Nut	100
250-20-TLN	1/4"-20 Top Lock Nut	100
250-UFW	1/4" Flat Washer	100
250-LCW	1/4" Lock Washer	100

375-16-075	3/8"-16 x 3/4"	50
375-16-100	3/8"-16 x 1"	50
375-16-150	3/8"-16 x 1-1/2"	50
375-16-200	3/8"-16 x 2"	50
375-16-250	3/8"-16 x 2-1/2"	50
375-16-HXN	3/8"-16 Hex Nut	50
375-16-TLN	3/8"-16 Top Lock Nut	50
375-UFW	3/8" Flat Washer	50
375-LCW	3/8" Lock Washer	50

500-13-100	1/2"-13 x 1"	25
500-13-150	1/2"-13 x 1-1/2"	25
500-13-200	1/2"-13 x 2"	25
500-13-250	1/2"-13 x 2-1/2"	25
500-13-300	1/2"-13 x 3"	25
500-13-HXN	1/2"-13 Hex Nut	25
500-13-TLN	1/2"-13 Top Lock Nut	25
500-UFW	1/2" Flat Washer	25
500-LCW	1/2" Lock Washer	25

750-10-150	3/4"-10 x 1-1/2"	10
750-10-200	3/4"-10 x 2"	10
750-10-250	3/4"-10 x 2-1/2"	10
750-10-300	3/4"-10 x 3"	10
750-10-350	3/4"-10 x 3-1/2"	10
750-10-HXN	3/4"-10 Hex Nut	10
750-10-TLN	3/4"-10 Top Lock Nut	10
750-UFW	3/4" Flat Washer	10
750-LCW	3/4" Lock Washer	10

PART NUMBER	DESCRIPTION	QTY
-------------	-------------	-----

312-18-075	5/16"-18 x 3/4"	100
312-18-100	5/16"-18 x 1"	100
312-18-150	5/16"-18 x 1-1/2"	100
312-18-200	5/16"-18 x 2"	50
312-18-250	5/16"-18 x 2-1/2"	50
312-18-HXN	5/16"-18 Hex Nut	100
312-18-TLN	5/16"-18 Top Lock Nut	100
312-UFW	5/16" Flat Washer	100
312-LCW	5/16" Lock Washer	100

437-14-100	7/16"-14 x 1"	25
437-14-150	7/16"-14 x 1-1/2"	25
437-14-200	7/16"-14 x 2"	25
437-14-250	7/16"-14 x 2-1/2"	25
437-14-300	7/16"-14 x 3"	25
437-14-HXN	7/16"-14 Hex Nut	25
437-14-TLN	7/16"-14 Top Lock Nut	25
437-UFW	7/16" Flat Washer	25
437-LCW	7/16" Lock Washer	25

625-11-100	5/8"-11 x 1"	10
625-11-150	5/8"-11 x 1-1/2"	10
625-11-200	5/8"-11 x 2"	10
625-11-250	5/8"-11 x 2-1/2"	10
625-11-300	5/8"-11 x 3"	10
625-11-HXN	5/8"-11 Hex Nut	20
625-11-TLN	5/8"-11 Top Lock Nut	20
625-UFW	5/8" Flat Washer	20
625-LCW	5/8" Lock Washer	20

875-09-150	7/8"-09 x 1-1/2"	5
875-09-200	7/8"-09 x 2"	5
875-09-250	7/8"-09 x 2-1/2"	5
875-09-300	7/8"-09 x 3"	5
875-09-350	7/8"-09 x 3-1/2"	5
875-09-HXN	7/8"-09 Hex Nut	5
875-09-TLN	7/8"-09 Top Lock Nut	5
875-UFW	7/8" Flat Washer	5
875-LCW	7/8" Lock Washer	5

METRIC BIN AND FASTENER ASSORTMENT

****Call FOR PRICING**



M5M12KIT

ASSORTMENT INCLUDES :

40 Hole Cabinet

2,315 Piece Metric Grade 10.9 Fasteners

- Hex Cap Screws
- Hex Nuts
- Flat Washers
- Lock Washers

METRIC ASSORTMENT INCLUDES:

M5

PART	DESCRIPTON	QTY
M580X12	M5-80 X 12	50
M580X16	M5-80 X 16	50
M580X20	M5-80 X 20	50
M580X25	M5-80 X 25	50
M580X30	M5-80 X 30	50
M580HXN	M5-80 HEX NUT	100
M5UFW	M5 FLAT WASHER	100
M5LCW	M5 LOCK WASHER	100

M6

PART	DESCRIPTON	QTY
M610X12	M6-1.0 X 12	50
M610X16	M6-1.0 X 16	50
M610X20	M6-1.0 X 20	50
M610X30	M6-1.0 X 30	50
M610X40	M6-1.0 X 40	50
M610HXN	M6-1.0 HEX NUT	100
M6UFW	M6 FLAT WASHER	100
M6LCW	M6 LOCK WASHER	100

M8

PART	DESCRIPTON	QTY
M8125X16	M8-1.25 X 16	50
M8125X25	M8-1.25 X 25	50
M8125X30	M8-1.25 X 30	50
M8125X40	M8-1.25 X 40	25
M8125X50	M8-1.25 X 50	25
M8125HXN	M8-1.25 HEX NUT	100
M8UFW	M8 FLAT WASHER	100
M8LCW	M8 LOCK WASHER	100

M10

PART	DESCRIPTON	QTY
M1015X25	M10-1.5 X 25	25
M1015X30	M10-1.5 X 30	25
M1015X40	M10-1.5 X 40	25
M1015X50	M10-1.5 X 50	25
M1015X60	M10-1.5 X 60	25
M1015HXN	M10-1.5 HEX NUT	50
M10UFW	M10 FLAT WASHER	100
M10LCW	M10 LOCK WASHER	100

M12

PART	DESCRIPTON	QTY
M12175X30	M12-1.75 X 30	25
M12175X40	M12-1.75 X 40	25
M12175X50	M12-1.75 X 50	15
M12175X60	M12-1.75 X 60	15
M12175X70	M12-1.75 X 70	10
M12175HXN	M8-1.25 HEX NUT	100
M12UFW	M8 FLAT WASHER	50
M12LCW	M8 LOCK WASHER	100

STAINLESS STEEL BIN AND FASTENER ASSORTMENT

1/4-20 TO 1/2-13

*****Call For Pricing**



250-500-SS

ASSORTMENT INCLUDES :

40 Hole Cabinet

1525 Piece Stainless Steel Fasteners

- Hex Cap Screws
- Hex Nuts
- Flat Washers
- Lock Washers

STAINLESS STEEL ASSORTMENT INCLUDES:

PART NUMBER	DESCRIPTON	QTY
250-20-050SS	1/4" - 20 x 1/2"	50
250-20-075SS	1/4" - 20 x 3/4"	50
250-20-100SS	1/4" - 20 x 1"	50
250-20-125SS	1/4" - 20 x 1 1/4"	25
250-20-150SS	1/4" - 20 x 1 1/2"	25
250-20-HXNSS	1/4" - 20 Hex Nut	50
250-UFWSS	1/4" Flat Washer	100
250-LCWSS	1/4" Lock Washer	100

375-16-075SS	3/8" -16 x 3/4"	25
375-16-100SS	3/8" -16 x 1"	20
375-16-125SS	3/8" -16 x 1 1/4"	20
375-16-150SS	3/8" -16 x 1-1/2"	15
375-16-200SS	3/8" -16 x 2"	10
375-16-HXNSS	3/8" -16 Hex Nut	50
375-UFWSS	3/8" Flat Washer	100
375-LCWSS	3/8" Lock Washer	100

500-13-150SS	1/2" -13 x 1-1/2"	10
500-13-200SS	1/2" -13 x 2"	10
500-13-250SS	1/2" -13 x 2-1/2"	5
500-13-300SS	1/2" -13 x 3"	5
500-13-400SS	1/2" -13 x 4"	5
500-13-HXNSS	1/2" -13 Hex Nut	25
500-UFWSS	1/2" Flat Washer	50
500-LCWSS	1/2" Lock Washer	50


PART NUMBER	DESCRIPTON	QTY
312-18-075SS	5/16" - 18 x 3/4"	50
312-18-100SS	5/16" - 18 x 1"	25
312-18-125SS	5/16" - 18 x 1 1/4"	25
312-18-150SS	5/16" - 18 x 1-1/2"	25
312-18-200SS	5/16" - 18 x 2"	25
312-18-HXNSS	5/16" - 18 Hex Nut	50
312-UFWSS	5/16" Flat Washer	100
312-LCWSS	5/16" Lock Washer	100

437-14-100SS	7/16" -14 x 1"	15
437-14-150SS	7/16" -14 x 1-1/2"	15
437-14-200SS	7/16" -14 x 2"	10
437-14-250SS	7/16" -14 x 2-1/2"	5
437-14-300SS	7/16" -14 x 3"	5
437-14-HXNSS	7/16" -14 Hex Nut	25
437-UFWSS	7/16" Flat Washer	50
437 LCWSS	7/16" Lock Washer	50

GRADE 8 HEX CAP SCREWS 1/4"-20 TO 1/2"-13

COARSE THREAD (USS)

- Manufactured to ASME B18.2.1 & SAE J429 specifications
- Tensile Strength: 150,000 psi (1/4 thru 1-1/2" diameter)
- SIZES BELOW ARE STOCK ITEMS, MOST "X" SIZES AVAILABLE TO ORDER



USA made bolts available upon request




LENGTH	DIAMETER				
	1/4"-20	5/16"-18	3/8"-16	7/16"-14	1/2"-13
1/2"	250-20-050	312-18-050	375-16-050	X	500-13-050
3/4"	250-20-075	312-18-075	375-16-075	437-14-075	500-13-075
1"	250-20-100	312-18-100	375-16-100	437-14-100	500-13-100
1-1/4"	250-20-125	312-18-125	375-16-125	437-14-125	500-13-125
1-1/2"	250-20-150	312-18-150	375-16-150	437-14-150	500-13-150
1-3/4"	250-20-175	312-18-175	375-16-175	437-14-175	500-13-175
2"	250-20-200	312-18-200	375-16-200	437-14-200	500-13-200
2-1/4"	250-20-225	312-18-225	375-16-225	437-14-225	500-13-225
2-1/2"	250-20-250	312-18-250	375-16-250	437-14-250	500-13-250
2-3/4"	250-20-275	312-18-275	375-16-275	437-14-275	500-13-275
3"	250-20-300	312-18-300	375-16-300	437-14-300	500-13-300
3-1/4"	250-20-325	312-18-325	375-16-325	437-14-325	500-13-325
3-1/2"	250-20-350	312-18-350	375-16-350	437-14-350	500-13-350
3-3/4"	250-20-375	312-18-375	375-16-375	437-14-375	500-13-375
4"	250-20-400	312-18-400	375-16-400	437-14-400	500-13-400
4-1/2"	250-20-450	312-18-450	375-16-450	437-14-450	500-13-450
5"	250-20-500	312-18-500	375-16-500	437-14-500	500-13-500
5-1/2"	250-20-550	312-18-550	375-16-550	437-14-550	500-13-550
6"	250-20-600	312-18-600	375-16-600	437-14-600	500-13-600
6-1/2"	X	X	375-16-650	X	500-13-650
7"	250-20-700	312-18-700	375-16-700	X	500-13-700
7-1/2"	X	X	375-16-750	X	500-13-750
8"	250-20-800	312-18-800	375-16-800	X	500-13-800
8-1/2"	X	X	X	X	X
9"	X	X	X	X	500-13-900
9-1/2"	X	X	X	X	500-13-950
10"	X	X	X	X	500-13-1000

GRADE 8 HEX CAP SCREWS 9/16"-12 TO 1"-08

COARSE THREAD (USS)

- Manufactured to ASME B18.2.1 & SAE J429 specifications
- Tensile Strength: 150,000 psi (1/4 thru 1-1/2" diameter r)
- SIZES BELOW ARE STOCK ITEMS, MOST "X" SIZES AVAILABLE TO ORDER



USA made bolts available upon request




LENGTH	DIAMETER				
	9/16"-12	5/8"-11	3/4"-10	7/8"-09	1"-08
1/2"	X	X	X	X	X
3/4"	X	X	X	X	X
1"	562-12-100	625-11-100	750-10-100	X	X
1-1/4"	562-12-125	625-11-125	750-10-125	X	X
1-1/2"	562-12-150	625-11-150	750-10-150	875-09-150	100-08-150
1-3/4"	562-12-175	625-11-175	750-10-175	875-09-175	100-08-175
2"	562-12-200	625-11-200	750-10-200	875-09-200	100-08-200
2-1/4"	562-12-225	625-11-225	750-10-225	875-09-225	100-08-225
2-1/2"	562-12-250	625-11-250	750-10-250	875-09-250	100-08-250
2-3/4"	562-12-275	625-11-275	750-10-275	875-09-275	100-08-275
3"	562-12-300	625-11-300	750-10-300	875-09-300	100-08-300
3-1/4"	562-12-325	625-11-325	750-10-325	875-09-325	100-08-325
3-1/2"	562-12-350	625-11-350	750-10-350	875-09-350	100-08-350
3-3/4"	562-12-375	625-11-375	750-10-375	875-09-375	100-08-375
4"	562-12-400	625-11-400	750-10-400	875-09-400	100-08-400
4-1/2"	562-12-450	625-11-450	750-10-450	875-09-450	100-08-450
5"	562-12-500	625-11-500	750-10-500	875-09-500	100-08-500
5-1/2"	562-12-550	625-11-550	750-10-550	875-09-550	100-08-550
6"	562-12-600	625-11-600	750-10-600	875-09-600	100-08-600
6-1/2"	562-12-650	625-11-650	750-10-650	875-09-650	100-08-650
7"	562-12-700	625-11-700	750-10-700	875-09-700	100-08-700
7-1/2"	X	625-11-750	750-10-750	875-09-750	X
8"	X	625-11-800	750-10-800	875-09-800	100-08-800
8-1/2"	X	625-11-850	750-10-850	875-09-850	100-08-850
9"	X	625-11-900	750-10-900	875-09-900	100-08-900
9-1/2"	X	X	X	X	X
10"	X	625-11-1000	750-10-1000	875-09-1000	100-08-1000
11"	X	X	X	X	100-08-1100
12"	X	X	750-10-1200	X	X

GRADE 8 HEX CAP SCREWS 1/4"-28 TO 1/2"-20

FINE THREAD (SAE)

- Manufactured to ASME B18.2.1 & SAE J429 specifications
- Tensile Strength: 150,000 psi (1/4 thru 1-1/2" diameter)
- SIZES BELOW ARE STOCK ITEMS, MOST "X" SIZES AVAILABLE TO ORDER




LENGTH	DIAMETER				
	1/4"-28	5/16"-24	3/8"-24	7/16"-20	1/2"-20
1/2"	250-28-050	312-24-050	375-24-050	X	X
3/4"	250-28-075	312-24-075	375-24-075	437-20-075	500-20-075
1"	250-28-100	312-24-100	375-24-100	437-20-100	500-20-100
1-1/4"	250-28-125	312-24-125	375-24-125	437-20-125	500-20-125
1-1/2"	250-28-150	312-24-150	375-24-150	437-20-150	500-20-150
1-3/4"	250-28-175	312-24-175	375-24-175	437-20-175	500-20-175
2"	250-28-200	312-24-200	375-24-200	437-20-200	500-20-200
2-1/4"	250-28-225	312-24-225	375-24-225	437-20-225	500-20-225
2-1/2"	250-28-250	312-24-250	375-24-250	437-20-250	500-20-250
2-3/4"	250-28-275	312-24-275	375-24-275	437-20-275	500-20-275
3"	250-28-300	312-24-300	375-24-300	437-20-300	500-20-300
3-1/4"	250-28-325	312-24-325	375-24-325	437-20-325	500-20-325
3-1/2"	250-28-350	312-24-350	375-24-350	437-20-350	500-20-350
3-3/4"	250-28-375	312-24-375	375-24-375	437-20-375	500-20-375
4"	250-28-400	312-24-400	375-24-400	437-20-400	500-20-400
4-1/2"	250-28-450	312-24-450	375-24-450	437-20-450	500-20-450
5"	250-28-500	312-24-500	375-24-500	437-20-500	500-20-500
5-1/2"	250-28-550	312-24-550	375-24-550	437-20-550	500-20-550
6"	250-28-600	312-24-600	375-24-600	437-20-600	500-20-600
6-1/2"	X	X	X	X	500-20-650
7"	250-28-700	312-24-700	X	X	500-20-700
7-1/2"	X	X	X	X	500-20-750
8"	250-28-800	312-24-800	X	X	500-20-800
8-1/2"	X	X	X	X	X
9"	X	X	X	X	X
9-1/2"	X	X	X	X	X
10"	X	X	X	X	X

GRADE 8 HEX CAP SCREWS 9/16"-18 TO 1"-14

FINE THREAD (SAE)

- Manufactured to ASME B18.2.1 & SAE J429 specifications
- Tensile Strength: 150,000 psi (1/4 thru 1-1/2" diameter)
- SIZES BELOW ARE STOCK ITEMS, MOST "X" SIZES AVAILABLE TO ORDER




LENGTH	DIAMETER				
	9/16"-18	5/8"-18	3/4"-16	7/8"-14	1"-14
1/2"	X	X	X	X	X
3/4"	X	X	X	X	X
1"	562-18-100	625-18-100	750-16-100	X	X
1-1/4"	562-18-125	625-18-125	750-16-125	X	X
1-1/2"	562-18-150	625-18-150	750-16-150	X	100-14-150
1-3/4"	562-18-175	625-18-175	750-16-175	X	100-14-175
2"	562-18-200	625-18-200	750-16-200	875-14-200	100-14-200
2-1/4"	562-18-225	625-18-225	750-16-225	875-14-225	100-14-225
2-1/2"	562-18-250	625-18-250	750-16-250	875-14-250	100-14-250
2-3/4"	562-18-275	625-18-275	750-16-275	875-14-275	100-14-275
3"	562-18-300	625-18-300	750-16-300	875-14-300	100-14-300
3-1/4"	X	625-18-325	750-16-325	875-14-325	100-14-325
3-1/2"	562-18-350	625-18-350	750-16-350	875-14-350	100-14-350
3-3/4"	X	625-18-375	750-16-375	875-14-375	X
4"	562-18-400	625-18-400	750-16-400	875-14-400	100-14-400
4-1/2"	562-18-450	625-18-450	750-16-450	875-14-450	100-14-450
5"	562-18-500	625-18-500	750-16-500	875-14-500	100-14-500
5-1/2"	562-18-550	625-18-550	750-16-550	875-14-550	100-14-550
6"	562-18-600	625-18-600	750-16-600	875-14-600	100-14-600
6-1/2"	X	625-18-650	750-16-650	875-14-650	100-14-650
7"	X	625-18-700	750-16-700	875-14-700	100-14-700
7-1/2"	X	625-18-750	750-16-750	875-14-750	100-14-750
8"	X	625-18-800	750-16-800	875-14-800	100-14-800
8-1/2"	X	625-18-850	X	X	100-14-850
9"	X	625-18-900	750-16-900	875-14-900	X
9-1/2"	X	625-18-950	X	X	X
10"	X	625-18-1000	750-16-1000	X	100-14-1000

GRADE 8 HEX NUTS & WASHERS COARSE THREAD (USS)



SIZE	HEX NUT	NYLOCK HEX NUT	TOP LOCK HEX NUT	LOCK WASHER	FLAT (USS) WASHER
1/4"-20	250-20-HXN	250-20-LCN	250-20-TLN	250-LCW	250-UFW
5/16"-18	312-18-HXN	312-18-LCN	312-18-TLN	312-LCW	312-UFW
3/8"-16	375-16-HXN	375-16-LCN	375-16-TLN	375-LCW	375-UFW
7/16"-14	437-14-HXN	437-14-LCN	437-14-TLN	437-LCW	437-UFW
1/2"-13	500-13-HXN	500-13-LCN	500-13-TLN	500-LCW	500-UFW
9/16"-12	562-12-HXN	562-12-LCN	562-12-TLN	562-LCW	562-UFW
5/8"-11	625-11-HXN	625-11-LCN	625-11-TLN	625-LCW	625-UFW
3/4"-10	750-10-HXN	750-10-LCN	750-10-TLN	750-LCW	750-UFW
7/8"-09	875-09-HXN	875-09-LCN	875-09-TLN	875-LCW	875-UFW
1"-08	100-08-HXN	100-08-LCN	100-08-TLN	100-LCW	100-UFW

FINE THREAD (SAE)



SIZE	HEX NUT	NYLOCK HEX NUT	TOP LOCK HEX NUT	LOCK WASHER	FLAT (SAE) WASHER
1/4"-28	250-28-HXN	250-28-LCN	250-28-TLN	250-LCW	250-SFW
5/16"-24	312-24-HXN	312-24-LCN	312-24-TLN	312-LCW	312-SFW
3/8"-24	375-24-HXN	375-24-LCN	375-24-TLN	375-LCW	375-SFW
7/16"-20	437-20-HXN	437-20-LCN	437-20-TLN	437-LCW	437-SFW
1/2"-20	500-20-HXN	500-20-LCN	500-20-TLN	500-LCW	500-SFW
9/16"-18	562-18-HXN	562-18-LCN	562-18-TLN	562-LCW	562-SFW
5/8"-18	625-18-HXN	625-18-LCN	625-18-TLN	625-LCW	625-SFW
3/4"-16	750-16-HXN	750-16-LCN	750-16-TLN	750-LCW	750-SFW
7/8"-14	875-14-HXN	875-14-LCN	875-14-TLN	875-LCW	875-SFW
1"-14	100-14-HXN	100-14-LCN	100-14-TLN	100-LCW	100-SFW

GRADE 5 CLEAR ZINC HEX NUTS & WASHERS

COARSE THREAD (USS)



SIZE	HEX NUT	NYLOCK HEX NUT
1/4"-20	250-20-HXNZ5	250-20-LCNZ5
5/16"-18	312-18-HXNZ5	312-18-LCNZ5
3/8"-16	375-16-HXNZ5	375-16-LCNZ5
7/16"-14	437-14-HXNZ5	437-14-LCNZ5
1/2"-13	500-13-HXNZ5	500-13-LCNZ5
5/8"-11	625-11-HXNZ5	625-11-LCNZ5
3/4"-10	750-10-HXNZ5	750-10-LCNZ5
7/8"-09	875-09-HXNZ5	875-09-LCNZ5
1"-08	100-08-HXNZ5	100-08-LCNZ5



SIZE	FLAT (USS) WASHER	FLAT (SAE) WASHER	LOCK WASHER
1/4"	250-UFWZ5	250-SFWZ5	250-LCWZ5
5/16"	312-UFWZ5	312-SFWZ5	312-LCWZ5
3/8"	375-UFWZ5	375-SFWZ5	375-LCWZ5
7/16"	437-UFWZ5	437-SWFZ5	437-LCWZ5
1/2"	500-UFWZ5	500-SFWZ5	500-LCWZ5
5/8"	625-UFWZ5	625-SFWZ5	625-LCWZ5
3/4"	750-UFWZ5	750-SFWZ5	750-LCWZ5
7/8"	875-UFWZ5	875-SWFZ5	875-LCWZ5
1"	100-UFWZ5	100-SWFZ5	100-LCWZ5
1-1/4"	1125-UFWZ5	1125-SWFZ5	1125-LCWZ5

FENDER WASHERS



SIZE	O.D.	PART NUMBER
3/16"	1"	316-100-FENZ
3/16"	1-1/4"	316-125-FENZ
3/16"	1-1/2"	316-150-FENZ
1/4"	1"	250-100-FENZ
1/4"	1-1/4"	250-125-FENZ
1/4"	1-1/2"	250-150-FENZ
1/4"	2"	250-200-FENZ
5/16"	1"	312-100-FENZ
5/16"	1-1/4"	312-125-FENZ
5/16"	1-1/2"	312-150-FENZ
5/16"	2"	312-200-FENZ
3/8"	1"	375-100-FENZ
3/8"	1-1/4"	375-125-FENZ
3/8"	1-1/2"	375-150-FENZ
3/8"	2"	375-200-FENZ
1/2"	1-1/4"	500-125-FENZ
1/2"	1-1/2"	500-150-FENZ
1/2"	2"	500-200-FENZ

GRADE 8 USS **FLANGE BOLTS &** **FLANGE LOCK NUTS**



Grade 8 USS Flange Bolts			
LENGTH	1/2"-13	5/8"-11	3/4"-10
1-1/4"	500-13-125FB8	625-11-125FB8	-
1-1/2"	500-13-150FB8	625-11-150FB8	-
1-3/4"	500-13-175FB8	625-11-175FB8	-
2"	500-13-200FB8	625-11-200FB8	750-10-200FB8
2-1/4"	500-13-225FB8	625-11-225FB8	-
2-1/2"	500-13-250FB8	625-11-250FB8	750-10-250FB8
2-3/4"	-	625-11-275FB8	-
3"	500-13-300FB8	625-11-300FB8	750-10-300FB8
3-1/2"	500-13-350FB8	625-11-350FB8	-
4"	-	625-11-400FB8	-

#3 HEAD PLOW BOLTS



HEX FLANGE LOCK NUTS (USS)	
1/2"-13	500-13-FLN
5/8"-11	625-11-FLN
3/4"-10	750-10-FLN

Grade 8 Dome Heads		
DIA	Length	Part #
5/8 -11 USS THREAD	2	625-11-200PB8
	2-1/4	625-11-225PB8
	2-1/2	625-11-250PB8
	2-3/4	625-11-275PB8
	3	625-11-300PB8
	3-1/2	625-11-250PB8
	4	625-11-400PB8
	4-1/2	625-11-450PB8
	5	625-11-500PB8
3/4 -10 USS THREAD	2	750-11-200PB8
	2-1/4	750-11-225PB8
	2-1/2	750-11-250PB8
	2-3/4	750-11-275PB8
	3	750-11-300PB8
	3-1/2	750-11-250PB8
	4	750-11-400PB8
	4-1/2	750-11-450PB8
	5	750-11-500PB8
7/8-9 USS THREAD	2-1/2	675-11-250PB8
	3	675-11-300PB8
	3-1/2	675-11-250PB8
	4	675-11-400PB8
	4-1/2	675-11-450PB8
	5	675-11-500PB8
1-08 USS THREAD	3	750-11-300PB8
	3-1/2	750-11-250PB8
	4	750-11-400PB8
	4-1/2	750-11-450PB8
	5	750-11-500PB8
	5-1/2	750-11-550PB8
	6	750-11-600PB8

GRADE 5 HEX CAP SCREWS 1/4"-20 TO 7/16"-14

COARSE THREAD (USS)

- Manufactured to ASME B18.2.1 & SAE J429 Specifications
- Tensile Strength: 120,00 psi (1/4 thru 1" diameter all lengths)



LENGTH	DIAMETER			
	1/4"-20	5/16"-18	3/8"-16	7/16"-14
1/2"	250-20-050Z5	312-18-050Z5	X	X
3/4"	250-20-075Z5	312-18-075Z5	375-16-075Z5	437-14-075Z5
1"	250-20-100Z5	312-18-100Z5	375-16-100Z5	437-14-100Z5
1-1/4"	250-20-125Z5	312-18-125Z5	375-16-125Z5	437-14-125Z5
1-1/2"	250-20-150Z5	312-18-150Z5	375-16-150Z5	437-14-150Z5
1-3/4"	250-20-175Z5	312-18-175Z5	375-16-175Z5	437-14-175Z5
2"	250-20-200Z5	312-18-200Z5	375-16-200Z5	437-14-200Z5
2-1/4"	250-20-225Z5	312-18-225Z5	375-16-225Z5	437-14-225Z5
2-1/2"	250-20-250Z5	312-18-250Z5	375-16-250Z5	437-14-250Z5
2-3/4"	250-20-275Z5	312-18-275Z5	375-16-275Z5	437-14-275Z5
3"	250-20-300Z5	312-18-300Z5	375-16-300Z5	437-14-300Z5
3-1/4"	250-20-325Z5	312-18-325Z5	375-16-325Z5	437-14-325Z5
3-1/2"	250-20-350Z5	312-18-350Z5	375-16-350Z5	437-14-350Z5
3-3/4"	250-20-375Z5	312-18-375Z5	375-16-375Z5	437-14-375Z5
4"	250-20-400Z5	312-18-400Z5	375-16-400Z5	437-14-400Z5
4-1/2"	X	312-18-450Z5	375-16-450Z5	437-14-450Z5
4-3/4"	X	X	375-16-475Z5	X
5"	X	312-18-500Z5	375-16-500Z5	X
5-1/2"	X	312-18-550Z5	375-16-550Z5	X
6"	X	312-18-600Z5	375-16-600Z5	X

****SIZES ABOVE ARE STOCK ITEMS, MOST "X" SIZES AVAILABLE TO ORDER****

GRADE 5 HEX CAP SCREWS 1/2"-13 TO 7/8"-09

COARSE THREAD (USS)

- Manufactured to ASME B18.2.1 & SAE J429 Specifications
- Tensile Strength: 120,00 psi (1/4 thru 1" diameter all lengths)



LENGTH	DIAMETER			
	1/2"-13	5/8"-11	3/4"-10	7/8"-09
1"	500-13-100Z5	625-11-100Z5	750-10-100Z5	X
1-1/4"	500-13-125Z5	625-11-125Z5	750-10-125Z5	X
1-1/2"	500-13-150Z5	625-11-150Z5	750-10-150Z5	875-09-150Z5
1-3/4"	500-13-175Z5	625-11-175Z5	750-10-175Z5	875-09-175Z5
2"	500-13-200Z5	625-11-200Z5	750-10-200Z5	875-09-200Z5
2-1/4"	500-13-225Z5	625-11-225Z5	750-10-225Z5	875-09-225Z5
2-1/2"	500-13-250Z5	625-11-250Z5	750-10-250Z5	875-09-250Z5
2-3/4"	500-13-275Z5	625-11-275Z5	750-10-275Z5	875-09-275Z5
3"	500-13-300Z5	625-11-300Z5	750-10-300Z5	875-09-300Z5
3-1/4"	500-13-325Z5	625-11-325Z5	750-10-325Z5	875-09-325Z5
3-1/2"	500-13-350Z5	625-11-350Z5	750-10-350Z5	875-09-350Z5
3-3/4"	500-13-375Z5	625-11-375Z5	750-10-375Z5	875-09-375Z5
4"	500-13-400Z5	625-11-400Z5	750-10-400Z5	875-09-400Z5
4-1/2"	500-13-450Z5	625-11-450Z5	750-10-450Z5	875-09-450Z5
4-3/4"	X	625-11-475Z5	X	X
5"	500-13-500Z5	625-11-500Z5	750-10-500Z5	875-09-500Z5
5-1/2"	500-13-550Z5	625-11-550Z5	750-10-550Z5	875-09-550Z5
6"	500-13-600Z5	625-11-600Z5	750-10-600Z5	875-09-600Z5
6-1/2"	X	625-11-700Z5	750-10-650Z5	X
7"	X	X	X	X
8"	X	625-11-800Z5	X	875-09-800Z5
9"	X	625-11-900Z5	750-10-900Z5	875-09-900Z5

****SIZES ABOVE ARE STOCK ITEMS, MOST "X" SIZES AVAILABLE TO ORDER****

STAINLESS STEEL HEX CAP SCREWS

COARSE THREAD (USS)



18-8 STAINLESS STEEL

**MANUFACTURED TO
ASME B 18.2.1 DIMENSIONS**

LENGTH	DIAMETER						
	1/4"-20	5/16"-18	3/8"-16	7/16"-14	1/2"-13	5/8"-11	3/4"-10
1/2"	250-20-050SS	312-18-050SS	375-16-050SS	X	X	X	X
3/4"	250-20-075SS	312-18-075SS	375-16-075SS	437-14-075SS	500-13-075SS	X	X
1"	250-20-100SS	312-18-100SS	375-16-100SS	437-14-100SS	500-13-100SS	X	X
1-1/4"	250-20-125SS	312-18-125SS	375-16-125SS	X	500-13-125SS	X	X
1-1/2"	250-20-150SS	312-18-150SS	375-16-150SS	437-14-150SS	500-13-150SS	625-11-150SS	750-10-150SS
1-3/4"	250-20-175SS	312-18-175SS	375-16-175SS	X	X	625-11-175SS	X
2"	250-20-200SS	312-18-200SS	375-16-200SS	437-14-200SS	500-13-200SS	625-11-200SS	750-10-200SS
2-1/4"	250-20-225SS	312-18-225SS	375-16-225SS	X	500-13-225SS	625-11-225SS	X
2-1/2"	250-20-250SS	312-18-250SS	375-16-250SS	437-14-250SS	500-13-250SS	X	750-10-250SS
2-3/4"	250-20-275SS	312-18-275SS	X	X	X	625-11-275SS	750-10-275SS
3"	250-20-300SS	312-18-300SS	375-16-300SS	437-14-300SS	500-13-300SS	625-11-300SS	750-10-300SS
3-1/2"	250-20-350SS	X	375-16-350SS	X	500-13-350SS	625-11-350SS	750-10-325SS
3-3/4"	X	X	X	X	X	625-11-375SS	750-10-375SS
4"	250-20-400SS	312-18-400SS	375-16-400SS	437-14-400SS	500-13-400SS	625-11-400SS	750-10-400SS
4-1/2"	X	312-18-450SS	X	437-14-450SS	500-13-450SS	625-11-450SS	750-10-450SS
5"	250-20-500SS	312-18-500SS	375-16-500SS	X	500-13-500SS	625-11-500SS	750-10-500SS
6"	X	X	375-16-600SS	X	500-13-600SS	X	X

****SIZES ABOVE ARE STOCK ITEMS, MOST "X" SIZES AVAILABLE TO ORDER****

STAINLESS STEEL HEX NUTS & WASHERS

COARSE THREAD (USS)



HEX NUTS

PART NUMBER	SIZE
250-20-HXNSS	1/4"-20
312-18-HXNSS	5/16"-18
375-16-HXNSS	3/8"-16
500-13-HXNSS	1/2"-13
625-11-HXNSS	5/8"-11
750-10-HXNSS	3/4"-10
875-09-HXNSS	7/8"-09
100-08-HXNSS	1"-08



NYLOCK NUTS

PART NUMBER	SIZE
250-20-LCNSS	1/4"-20
312-18-LCNSS	5/16"-18
375-16-LCNSS	3/8"-16
500-13-LCNSS	1/2"-13
625-11-LCNSS	5/8"-11
750-10-LCNSS	3/4"-10
875-09-LCNSS	7/8"-9
100-08-LCNSS	1"-08



FLAT WASHERS

PART NUMBER	SIZE
250-UFWSS	1/4"
312-UFWSS	5/16"
375-UFWSS	3/8"
500-UFWSS	1/2"
625-UFWSS	5/8"
750-UFWSS	3/4"
875-UFWSS	7/8"
100-UFWSS	1"



LOCK WASHERS

PART NUMBER	SIZE
250-LCWSS	1/4"
312-LCWSS	5/16"
375-LCWSS	3/8"
500-LCWSS	1/2"
625-LCWSS	5/8"
750-LCWSS	3/4"
875-LCWSS	7/8"
100-LCWSS	1"



METRIC GRADE 10.9 HEX CAP SCREWS

COARSE THREAD (USS)

ALL LENGTHS MEASURED IN MILLIMETERS

PARTIAL THREAD DIN 931

LENGTH	DIAMETER							
	M6-1.0	M8-1.25	M10-1.5	M12-1.75	M14-2.0	M16-2.0	M20-2.5	M20-3.0
10 mm	M610X10	X	X	X	X	X	X	X
12 mm	M610X12	X	X	X	X	X	X	X
16 mm	M610X16	M8125X16	X	M12175X16	X	X	X	X
20 mm	M610X20	M8125X20	M1015X20	M12175X20	X	X	X	X
25 mm	M610X25	M8125X25	M1015X25	M12175X25	X	M1620X25	X	X
30 mm	M610X30	M8125X30	M1015X30	M12175X30	M1420X30	M1620X30	X	X
35 mm	M610X35	M8125X35	M1015X35	M12175X35	M1420X35	M1620X35	X	X
40 mm	M610X40	M8125X40	M1015X40	M12175X40	M1420X40	M1620X40	M2025X40	M2430X40
45 mm	M610X45	M8125X45	M1015X45	M12175X45	M1420X45	M1620X45	M2025X45	X
50 mm	M610X50	M8125X50	M1015X50	M1217550	M1420X50	M1620X50	M2025X50	M2430X50
55 mm	M610X55	M8125X55	M1015X55	M12175X55	M1420X55	M1620X55	X	M2430X55
60 mm	M610X60	M8125X60	M1015X60	M12175X60	M1420X60	M1620X60	M2025X60	M2430X60
65 mm		M8125X65	M1015X65	M12175X65	M1420X65	M1620X65		M2430X65
70 mm	M610X70	M8125X70	M1015X70	M12175X70	M1420X70	M1620X70	M2025X70	M2430X70
75 mm	X	M8125X75	M1015X75	XM12175X75	M1420X75	X	M2025X75	X
80 mm	M610X80	M8125X80	M1015X80	M12175X80	M1420X80	M1620X80	M2025X80	M2430X80
90 mm	M610X90	M8125X90	M1015X90	M12175X90	M1420X90	M1620X90	M2025X90	M2430X90
100 mm	X	M8125X100	M1015X100	M12175X100	M1420X100	M1620X100	M2025X100	M2430X100
110 mm	X	M8125X110	M1015X110	M12175X110	X	M1620X110	M2025X110	X
120 mm	X	M8125X120	M1015X120	M12175X120	M1420X120	M1620X120	M2025X120	X
130 mm	X	X	X	X	X	M1620X130	M2025X130	M2430X130
140 mm	X	X	X	X	X	M1620X140	M2025X140	M2430X140
150 mm	X	X	X	X	X	M1620X150	M2025X150	M2430X150
160 mm	X	X	X	X	X	X	M2025X160	M2430X160
170								M2430X170
180 mm	X	X	X	X	X	X	M2025X180	X
220 mm	X	X	X	X	X	X	M2025X220	X
280 mm	X	X	X	X	X	X	X	M2430X280
300 mm	X	X	X	X	X	X	X	M2430X300

SIZES ABOVE ARE STOCK ITEMS, MOST "X" SIZES AVAILABLE TO ORDER

METRIC GRADE 10.9 HEX CAP SCREWS

FINE THREAD (SAE)



ALL LENGTHS ARE MEASURED IN MILLIMETERS

PARTIAL THREAD DIN 931

LENGTH	DIAMETER				
	M8-1.0	M10-1.25	M12-1.5	M14-1.5	M16-1.5
16 mm	M810X16	X	X	X	X
20 mm	M810X20	M10125X20	M1215X20	X	X
25 mm	M810X25	M10125X25	M1215X25	M1415X25	X
30 mm	M810X30	M10125X30	M1215X30	M1415X30	M1615X30
35 mm	M810X35	M10125X35	M1215X35	M1415X35	M1615X35
40 mm	M810X40	M10125X40	M1215X40	M1415X40	M1615X40
50 mm	M810X50	M10125X50	M1215X50	M1415X50	M1615X50
60 mm	M810X60	M10125X60	M1215X60	M1415X60	M1615X60
70 mm	M810X70	M10125X70	M1215X70	M1415X70	M1615X70
80 mm	M810X80	M10125X80	M1215X80	M1415X80	M1615X80
90 mm	X	X	X	X	M1615X90
100 mm	X	X	X	X	M1615X100
120 mm	X	X	X	X	M1615X120

****SIZES ABOVE ARE STOCK ITEMS, MOST "X" SIZES AVAILABLE TO ORDER****

METRIC HEX NUTS—COARSE THREAD



HEX

PART NUMBER	SIZE
M610HXN	M6-1.00
M8125HXN	M8-1.25
M1015HXN	M10-1.50
M12175HXN	M12-1.75
M1420HXN	M14-2.00
M1620HXN	M16-2.00
M2025HXN	M20-2.50
M2430HXN	M24-3.0



NYLOCK

PART NUMBER	SIZE
M610LCN	M6-1.00
M8125LCN	M8-1.25
M1015LCN	M10-1.50
M12175LCN	M12-1.75
M1420LCN	M14-2.00
M1620LCN	M16-2.00
M2025LCN	M20-2.50
M2430LCN	M24-3.0



TOP LOCK

PART NUMBER	SIZE
M610TLN	M6-1.00
M8125TLN	M8-1.25
M1015TLN	M10-1.50
M12175TLN	M12-1.75
M1420TLN	M14-2.00
M1620TLN	M16-2.00
M2025TLN	M20-2.50
M2430LCN	M24-3.0

METRIC HEX NUTS—FINE THREAD

HEX



PART NUMBER	SIZE
M810HXN	M8-1.00
M10125HXN	M10-1.25
M1215HXN	M12-1.50
M1415HXN	M14-1.50
M1615HXN	M16-1.50
M1815HXN	M18-1.50
M2020HXN	M20-2.00

NYLOCK



PART NUMBER	SIZE
M810LCN	M8-1.00
M10125LCN	M10-1.25
M1215LCN	M12-1.50
M1415LCN	M14-1.50
M1615LCN	M16-1.50
M1815LCN	M18-1.50
M2020LCN	M20-2.00

METRIC WASHERS

FLAT



PART NUMBER	SIZE
M6UFW	M6
M8UFW	M8
M10UFW	M10
M12UFW	M12
M14UFW	M14
M16UFW	M16
M20UFW	M20
M24UFW	M24

LOCK



PART NUMBER	SIZE
M6LCW	M6
M8LCW	M8
M10LCW	M10
M12LCW	M12
M14LCW	M14
M16LCW	M16
M20LCW	M20
M24LCW	M24

SELF-DRILLING TEK SCREWS & TORX SCREWS

HEX WASHER TEK SCREW



PART NUMBER	SIZE	QTY	DRIVER SIZE
8X50TEK	#8 X 1/2	100	1/4"
8X75TEK	#8 X 3/4	100	1/4"
8X100TEK	#8 X 1	100	1/4"
8X150TEK	#8 X 1-1/2	100	1/4"
10X50TEK	#10 X 1/2	100	5/16"
10X100TEK	#10 X 1	100	5/16"
10X75TEK	#10 X 3/4	100	5/16"
10X150TEK	#10 X 1-1/2	100	5/16"
12X75TEK	#12 X 3/4	100	5/16"
12X100TEK	#12 X 1	100	5/16"
12X125TEK	#12 X 1-1/4	100	5/16"
12X150TEK	#12 X 1-1/2	100	5/16"
12X200TEK	#12 X 2	100	5/16"
250X75TEK	1/4 X 3/4	100	3/8"
250X100TEK	1/4 X 1	100	3/8"
250X125TEK	1/4 X 1-1/4	100	3/8"
250X150TEK	1/4 X 1-1/2	100	3/8"
250X175TEK	1/4 X 1-3/4	100	3/8"
250X200TEK	1/4 X 2	100	3/8"
250X250TEK	1/4 X 2-1/2	100	3/8"
250X300TEK	1/4 X 3	100	3/8"

TEK 5 SCREWS



PART NUMBER	SIZE
HWT512X125	12-24 X 1-1/4"
12-24X150TEK5	12-24 X 1-1/2"
HWT512X2	12-24 X 2"

K-LATH SCREWS



PART NUMBER	SIZE
8X50KLATH	8 X 1/2"
8X75KLATH	8 X 3/4"
8X125KLATH	8 X 1-1/4"

FPH WAFER TEK SCREWS



PART NUMBER	SIZE
EDT602	10-24 X 1-7/16"
EDT282	12-24 X 2-3/4"

TORX TRAILER FLOORBOARD SCREWS



PART NUMBER	PITCH	LENGTH	DRIVER SIZE	DRIVER	DRILL	BIT
250-20-150TFS	1/4"-20	1-1/2"	TORX 30	PR937167	7/32"	XGO-732
250-20-200TFS	1/4"-20	2"	TORX 30	PR937167	7/32"	XGO-732
250-20-250TFS	1/4"-20	2-1/2"	TORX 30	PR937167	7/32"	XGO-732
250-20-300TFS	1/4"-20	3"	TORX 30	PR937167	7/32"	XGO-732
312-18-200TFS	5/16"-18	2"	TORX 40	PR937169	9/32"	XGO-932
312-18-225TFS	5/16"-18	2-1/4"	TORX 40	PR937169	9/32"	XGO-932
312-18-250TFS	5/16"-18	2-1/2"	TORX 40	PR937169	9/32"	XGO-932
312-18-300TFS	5/16"-18	3"	TORX 40	PR937169	9/32"	XGO-932

Proferred Max Drive – Features & Benefits

Designed for Ultimate Performance

Proferred Max Drive Screws are readily available in Bronze color only and packaged in a unique 3lb. Jar configuration sold 4 jars per case and include 1 “FREE” drive bit per jar



BBI part #	Drive Type	Proferred Max Drive Screw Type	Size Description	Pcs. Per Jar	Master case PCS = 4 Jars	Product Color	Salt Spray-Rating
V56081	6 LOBE 20	C1022 DECK SCREW, DOUBLE FLAT HEAD WITH 3 X 4 NIBS UNDER HEAD. 6 LOBE DRIVE, HEAD MARK "SKT II". SUPER THREAD WITH KNURLED SHANK and CASE HARDENED	#8 X 2" 6 LOBE T-20 Drive - 1 Free Bit Per Jar	375	1500	Bronze	1500 hrs.
V56091	6 LOBE 25		#9 X 2-1/2" 6 LOBE T-25 Drive - 1 Free Bit Per Jar	350	1400	Bronze	1500 hrs.
V56092	6 LOBE 25		#9 X 3" 6 LOBE T-25 Drive - 1 Free Bit Per Jar	300	1200	Bronze	1500 hrs.
V56101	6 LOBE 25		#10 X 2-1/2" 6 LOBE T-25 Drive - 1 Free Bit Per Jar	240	960	Bronze	1500 hrs.
V56102	6 LOBE 25		#10 X 3" 6 LOBE T-25 Drive - 1 Free Bit Per Jar	210	840	Bronze	1500 hrs.
V56103	6 LOBE 25		#10 X 3-1/2" 6 LOBE T-25 Drive - 1 Free Bit Per Jar	180	720	Bronze	1500 hrs.
V56104	6 LOBE 25		#10 X 4" 6 LOBE T-25 Drive - 1 Free Bit Per Jar	150	600	Bronze	1500 hrs.

- Under head 3 X 4 nib design allows screws to seat flush into the wood leaving no excess wood burs or shavings
- T-20 and T-25 (6) Lobe Drive assures tight bit engagement with no cam-outs
- SKT sharp points and serrated thread design allows for extremely fast penetration and

- overall installation into most wood types
- SKT[®] coating is ACQ compliant with a salt spray rating of 1500 hrs.
- SKT[®] coating is anti-UV with excellent adhesion strength that will not strip off upon installation and removal

Features for Pipe Fittings

- Class 150 fittings are UL and FM listed, approved at 300 PSI
- Hot-dipped galvanized fittings are certified to the following: NSF/ANSI 61-4 & NSF372 AB Lead Free
- Malleable castings conform to ASTM A197, ASME B16.3, ASME B16.4 and ASME B16.39 NPT threads on all fittings conform to ASME B1.20.1 Independent lab verification has been made that fittings meet applicable physical & chemical properties
- Manufactured in ISO 9001:2015 and ISO 14001 facilities
- Fittings are 100% air tested
- Canadian Registration Numbers (CRNs) are available

Black Elbows– 90° Street



SKU	DESCRIPTION	UPC	SH/PK	F/pk
6101174	Black 90 Deg Street Elbows 1/8" F X 1/8" M	045734938823	25	450
6101182	Black 90 Deg Street Elbows 1/4" F X 1/4" M	045734101180	25	450
6101190	Black 90 Deg Street Elbows 3/8" F X 3/8" M	045734101197	10	180
6101208	Black 90 Deg Street Elbows 1/2" F X 1/2" M	045734101203	20	360
6101216	Black 90 Deg Street Elbows 3/4" F X 3/4" M	045734101210	10	180
6101224	Black 90 Deg Street Elbows 1" F X 1" M	045734101227	6	108

Black Coupling



SKU	DESCRIPTION	UPC	SH/PK	F/pk
6949390	Black Coupling 1/8" F Equal	045734938854	25	450
6949168	Black Coupling 1/4" F Equal	045734938809	25	450
6949358	Black Coupling 3/8" F Equal	045734939226	25	450
6117576	Black Coupling 1/2" F Equal	045734117570	15	270
6117584	Black Coupling 3/4" F Equal	045734117587	10	180
6117592	Black Coupling 1" F Equal	045734117594	8	144

Black Pipe Coupling Reducing



SKU	DESCRIPTION	UPC	SH/PK	F/pk
6102610	Black Reducing Coupling 1/4" F X 1/8" F	045734938816	25	450
6102636	Black Reducing Coupling 3/8" F X 1/4" F	045734939240	30	540
6102644	Black Reducing Coupling 1/2" F X 1/4" F	045734938755	15	270
6102651	Black Reducing Coupling 1/2" F X 3/8" F	045734102651	30	540
6102677	Black Reducing Coupling 3/4" F X 3/8" F	045734939189	15	270
6102685	Black Reducing Coupling 3/4" F X 1/2" F	045734102682	15	270
6102701	Black Reducing Coupling 1" F X 1/2" F	045734102705	10	120
6102719	Black Reducing Coupling 1" F X 3/4" F	045734102712	15	120

Black Elbows– 45°



SKU	DESCRIPTION	UPC	SH/PK	F/pk
6101026	Black 45 Deg Elbow 1/2" F Equal	045734101029	10	180
6101034	Black 45 Deg Elbow 3/4" F Equal	045734101036	10	180
6270334	Black 45 Deg Elbow 1" F Equal	0457334270336	5	90

Black Elbows– 90°



SKU	DESCRIPTION	UPC	SH/PK	F/pk
6100580	Black 90 Deg Elbow 1/8" F Equal	045734938847	25	450
6100598	Black 90 Deg Elbow 1/4" F Equal	045734100596	25	450
6100606	Black 90 Deg Elbow 3/8" F Equal	045734100602	25	450
6100614	Black 90 Deg Elbow 1/2" F Equal	045734100619	15	270
6100622	Black 90 Deg Elbow 3/4" F Equal	045734100626	10	180
6100630	Black 90 Deg Elbow 1" F Equal	045734100633	15	120

Black Pipe Tees



SKU	DESCRIPTION	UPC	SH/PK	F/pk
6101356	Black Tee 1/8" F Equal	045734938878	25	450
6101364	Black Tee 1/4" F Equal	045734103641	25	450
6101372	Black Tee 3/8" F Equal	045734939233	10	180
6101380	Black Tee 1/2" F Equal	045734101388	10	180
6101398	Black Tee 3/4" F Equal	045734101395	15	120
6101406	Black Tee 1" F Equal	045734101401	10	80

Black Pipe Caps



SKU	DESCRIPTION	UPC	SH/PK	F/pk
6274732	Black Cap 1/8" F	045734938830	25	450
6102180	Black Cap 1/4" F	032888406735	25	450
6102198	Black Cap 3/8" F	045734939219	35	630
6102206	Black Cap 1/2" F	045734102200	35	630
6102214	Black Cap 3/4" F	045734102217	20	360
6102222	Black Cap 1" F	045734102224	10	180

Black Union Joints



SKU	DESCRIPTION	UPC	SH/PK	F/pk
6103329	Black Union 1/4" F Equal	045734938793	20	360
6103337	Black Union 3/8" F Equal	045734939202	15	270
6103345	Black Union 1/2" F Equal	045734103344	10	180
6103352	Black Union 3/4" F Equal	045734103351	8	144
6103360	Black Union 1" F Equal	045734103368	5	40

Black Plugs



SKU	DESCRIPTION	UPC	SH/PK	F/pk
6103014	Black Plug 1/8" M	045734938861	25	450
6103022	Black Plug 1/4" M	045734030220	25	450
6103030	Black Plug 3/8" M	045734030305	25	450
6103048	Black Plug 1/2" M	045734103047	50	900
6103055	Black Plug 3/4" M	045734103559	40	720
6103063	Black Plug 1" M	045734103061	20	360

Black Pipe Bushings



SKU	DESCRIPTION	UPC	SH/PK	F/pk
6100002	Black Bushing 1/4" M x 1/8" F	045734000025	35	630
6100010	Black Bushing 3/8" M x 1/8" F	045734939257	35	630
6100028	Black Bushing 3/8" M x 1/4" F	045734100022	35	630
6100036	Black Bushing 1/2" M x 1/4" F	045734000360	30	540
6100044	Black Bushing 1/2" M x 3/8" F	045734100046	40	720
6100051	Black Bushing 3/4" M x 1/8" F	045734939165	25	300
6100069	Black Bushing 3/4" M x 1/4" F	098389000698	25	450
6100077	Black Bushing 3/4" M x 3/8" F	045734939172	25	450
6100085	Black Bushing 3/4" M x 1/2" F	045734100084	25	450
6100101	Black Bushing 1" M x 1/2" F	045734100107	25	450
6100119	Black Bushing 1" M x 3/4" F	045734100114	25	450

Black Pipe Nipples



SKU	DESCRIPTION	UPC	SH/PK	F/pk
6124770	Black Nipple 1/8" M Close	045734902992	10	480
6453849	Black Nipple 1/8" M x 1-1/2" L	045734903005	10	480
6453872	Black Nipple 1/8" M x 2" L	045734903012	10	480
6453914	Black Nipple 1/8" M x 2-1/2" L	045734903029	10	480
6453930	Black Nipple 1/8" M x 3" L	045734903036	10	480
6454060	Black Nipple 1/8" M x 3-1/2" L	045734903043	10	240
6454086	Black Nipple 1/8" M x 4" L	045734903050	10	240
6124861	Black Nipple 1/4" M Close	045734903067	10	480
6124879	Black Nipple 1/4" M x 1-1/2" L	045734903074	10	480
6124887	Black Nipple 1/4" M x 2" L	045734903081	10	480
6124895	Black Nipple 1/4" M x 2-1/2" L	045734903098	10	480
6124903	Black Nipple 1/4" M x 3" L	045734903104	10	480
6454110	Black Nipple 1/4" M x 3-1/2" L	045734903111	10	240
6454573	Black Nipple 1/4" M x 4" L	045734903128	10	240
6454904	Black Nipple 1/4" M x 4-1/2" L	045734903135	10	240
6455273	Black Nipple 1/4" M x 5" L	045734903142	10	240
6455380	Black Nipple 1/4" M x 5-1/2" L	045734903159	10	240
6124952	Black Nipple 1/4" M x 6" L	045734903166	10	240
6124960	Black Nipple 3/8" M Close	045734903180	10	480
6124978	Black Nipple 3/8" M x 1-1/2" L	045734903197	10	480
6124986	Black Nipple 3/8" M x 2" L	045734903203	10	480
6124994	Black Nipple 3/8" M x 2-1/2" L	045734903210	10	480
6125009	Black Nipple 3/8" M x 3" L	045734903227	10	480
6125017	Black Nipple 3/8" M x 3-1/2" L	045734903234	10	240
6125025	Black Nipple 3/8" M x 4" L	045734903241	10	240
6456073	Black Nipple 3/8" M x 4-1/2" L	045734903258	10	240
6456263	Black Nipple 3/8" M x 5" L	045734903265	10	240
6456321	Black Nipple 3/8" M x 5-1/2" L	045734903272	10	240
6125066	Black Nipple 3/8" M x 6" L	045734903289	10	240

Black Pipe Nipples



SKU	DESCRIPTION	UPC	SH/PK	F/pk
6125082	Black Nipple 1/2" M Close	045734903326	25	600
6125090	Black Nipple 1/2" M x 1-1/2" L	045734903333	25	600
6125108	Black Nipple 1/2" M x 2" L	045734903340	25	600
6125116	Black Nipple 1/2" M x 2-1/2" L	045734903357	25	400
6125124	Black Nipple 1/2" M x 3" L	045734903364	25	400
6456339	Black Nipple 1/2" M x 3-1/2" L	045734903371	25	400
6125140	Black Nipple 1/2" M x 4" L	045734903388	25	300
6456354	Black Nipple 1/2" M x 4-1/2" L	045734903395	25	300
6125157	Black Nipple 1/2" M x 5" L	045734903401	25	200
6456362	Black Nipple 1/2" M x 5-1/2" L	045734903418	25	200
6125165	Black Nipple 1/2" M x 6" L	045734903425	25	200
6125207	Black Nipple 3/4" M Close	045734903531	25	400
6500573	Black Nipple 3/4" M x 1-1/2" L	045734903548	25	400
6125215	Black Nipple 3/4" M x 2" L	045734903555	25	300
6125223	Black Nipple 3/4" M x 2-1/2" L	045734903562	25	300
6125231	Black Nipple 3/4" M x 3" L	045734903579	25	200
6125249	Black Nipple 3/4" M x 3-1/2" L	045734903586	25	200
6125256	Black Nipple 3/4" M x 4" L	045734903593	25	200
6456446	Black Nipple 3/4" M x 4-1/2" L	045734903609	25	200
6125264	Black Nipple 3/4" M x 5" L	045734903616	25	200
6456651	Black Nipple 3/4" M x 5-1/2" L	045734903623	25	200
6125272	Black Nipple 3/4" M x 6" L	045734903630	25	200
6125330	Black Nipple 1" M Close	045734903753	10	160
6125348	Black Nipple 1" M x 2" L	045734903760	10	160
6125355	Black Nipple 1" M x 2-1/2" L	045734903777	10	160
6125363	Black Nipple 1" M x 3" L	045734903784	10	160
6456735	Black Nipple 1" M x 3-1/2" L	045734903791	10	150
6125389	Black Nipple 1" M x 4" L	045734903807	10	120
6456784	Black Nipple 1" M x 4-1/2" L	045734903814	10	120
6125397	Black Nipple 1" M x 5" L	045734903821	10	80
6456792	Black Nipple 1" M x 5-1/2" L	082647069787	10	80
6125405	Black Nipple 1" M x 6" L	045734903845	10	80

Black Coupling Merchant



SKU	DESCRIPTION	UPC	SH/PK	F/pk
6117543	Black Merchant Coupling 1/8" FeM Equal I	045734939271	30	540
6117550	Black Merchant Coupling 1/4" FeM Equal	045734939288	30	540
6117568	Black Merchant Coupling 3/8" FeM Equal	032888363670	25	450
6421812	Black Merchant Coupling 1/2" FeM Equal	045734939301	50	400
6421895	Black Merchant Coupling 3/4" FeM Equal	045734939318	40	320
6421937	Black Merchant Coupling 1" FeM Equal	045734939325	40	160

GREASE FITTINGS

Ball Check Plated



06900

Qty: 25

1/4-28, Straight

Thread Length: 7/32

Overall Length: 9/16



06904

Qty: 25

1/8 Pipe, Straight

Overall Length: 5/8



06908

Qty: 10

1/4 Pipe, Straight

Overall Length: 27/32



06901

Qty: 25

1/4-28, Straight

Overall Length: 15/16



06905

Qty: 25

1/8 Pipe, Straight

Overall Length: 1-1/4



06909

Qty: 10

1/4 Pipe, 65°

Overall Length: 1"



06902

Qty: 25

1/4-28, 45°

Overall Length: 29/32



06906

Qty: 25

1/8 Pipe, 45°

Overall Length: 1"



06911

Qty: 25

3/16 Drive Fit, Straight

Overall Length: 1/2



06903

Qty: 25

1/4-28, 90°

Overall Length: 45/64



06915

Qty: 25

1/8 Pipe, 65°

Overall Length: 7/8



06912

Qty: 25

1/4 Drive Fit, Straight

Overall Length: 1/2



06910

Qty: 25

5/16-24, Straight

Overall Length: 5/8



06907

Qty: 25

1/8 Pipe, 90°

Overall Length: 53/34



06913

Qty: 25

5/16 Drive Fit, Straight

Overall Length: 9/16

METRIC GREASE FITTINGS

Ball Check Plated



06920
Qty: 15

6mm - 1.00, Straight
Overall Length: 14mm



06921
Qty: 15

6mm - 1.00, 45°
Overall Length: 22mm



06922
Qty: 15

6mm - 1.00, 90°
Overall Length: 18mm



06923
Qty: 10

8mm - 1.00, Straight
Overall Length: 15mm



06924
Qty: 10

8mm - 1.00, 45°
Overall Length: 23mm



06925
Qty: 10

8mm - 1.00, 90°
Overall Length: 18mm



06926
Qty: 10

8mm - 1.25, Straight
Overall Length: 15mm



06927
Qty: 10

8mm - 1.25, 45°
Overall Length: 23mm



06928
Qty: 10

8mm - 1.25, 90°
Overall Length: 18mm



06929
Qty: 5

10mm - 1.00, Straight
Overall Length: 14mm



06930
Qty: 5

10mm - 1.00, 45°
Overall Length: 23mm



06931
Qty: 5

10mm - 1.00, 90°
Overall Length: 14mm



06932
Qty: 5

10mm - 1.50, Straight
Overall Length: 14mm



06933
Qty: 5

10mm - 1.50, 45°
Overall Length: 24mm



06934
Qty: 5

10mm - 1.50, 90°
Overall Length: 14mm

INSERT BITS & HOLDERS

PHILLIPS INSERT BITS



Part Number	Description	Shank
PR927020	P-1 X 1" LG	1/4"
PR927021	P-2 X 1" LG	1/4"
PR927022	P-3 X 1" LG	1/4"

PHILLIPS POWER BITS



Part Number	Description	Shank
PR927360	P-1 X 1-15/16" LG	1/4"
PR927361	P-2 X 1-15/16" LG	1/4"
PR927362	P-3 X 1-15/16" LG	1/4"
PR927365	P-3 X 2-3/4" LG	1/4"
PR927367	P-2 X 3-1/2" LG	1/4"
PR927368	P-3 X 3-1/2" LG	1/4"

SLOTTED INSERT BITS



Part Number	Description	Shank
PR939534	4-5 X 1" LG	1/4"
PR939535	6-8 X 1" LG	1/4"
PR939536	8-12 X 1" LG	1/4"

SLOTTED POWER BITS



Part Number	Description	Shank
PR927467	8-12 X 1" LG	1/4"

TORX INSERT BITS



Part Number	Description	Shank
PR937157	T-10 X 1" LG	1/4"
PR937159	T-15 X 1" LG	1/4"
PR937161	T-20 X 1" LG	1/4"
PR937163	T-25 X 1" LG	1/4"
PR937165	T-27 X 1" LG	1/4"
PR937167	T-30 X 1" LG	1/4"
PR937173	T-40 X 1-1/4" LG	5/16"
PR937175	T-45 X 1-1/4" LG	5/16"

MAGNETIC NUTSETTERS



Part Number	Description	Shank
PR931450	1/4" X 1-3/4" LG	1/4"
PR931452	5/16" X 1-3/4" LG	1/4"
PR936165	3/8" X 1-3/4" LG	1/4"
PR937582	1/4" X 2-9/16" LG	1/4"
PR937583	5/16" X 2-9/16" LG	1/4"
PR937584	3/8" X 2-9/16" LG	1/4"

MAGNETIC BIT HOLDERS



Part Number	Description	Shank
PR940833	3" Magnetic Bit Holder with C Ring Retainer	1/4"
PR926790	3" Magnetic Bit Holder with Screw Cap	1/4"

****OTHER SIZES MAY BE AVAILABLE UPON REQUEST****

THREADED RODS & COUPLING NUTS

LOW CARBON STEEL THREADED ROD

- LOW CARBON STEEL ASTM A307, GRADE A
- ASME B18.31.3, CLASS 1A ROLLED THREADS
- ZINC PLATED ACCORDING TO FE/ZN 3AT PER ASTM F1941, 60,000 PSI MIN . TENSILE STRENGTH



PART NUMBER	SIZE	LENGTH
250-20-600TROD	1/4"-20	6 FT
312-18-600TROD	5/16"-18	6 FT
375-16-600TROD	3/8"-16	6 FT
500-13-600TROD	1/2"-13	6 FT
625-11-600TROD	5/8"-11	6 FT
750-10-600TROD	3/4"-10	6 FT
875-9-600TROD	7/8"-9	6 FT
100-8-600TROD	1"-8	6 FT
1125-7-600TROD	1-1/4"-7	6 FT

B7 THREADED ROD

- TENSILE STRENGTH: 2 1/2" AND UNDER 125,000 PSI
- YIELD STRENGTH: 2 1/2" AND UNDER 105,00 PSI



PART NUMBER	SIZE	LENGTH
500-13-600TRODB7	1/2"-13	6 FT
625-11-600TRODB7	5/8"-11	6 FT
750-10-600TRODB7	3/4"-10	6 FT
875-09-600TRODB7	7/8"-9	6 FT
100-08-600TRODB7	1"-8	6 FT
1125-7-600TRODB7	1 1/4"-7	6 FT

PART #	DESCRIPTION
BAR-01	Bar Champ Outer Reamer 1/8" -3/4" Drilling

ZINC PLATED COUPLING NUTS

DESIGNED TO JOIN TWO EXTERNALLY
THREADED RODS



PART NUMBER	SIZE	LENGTH
250-20-CPLN	1/4"-20	1-3/4"
312-18-CPLN	5/16"-18	1-3/4"
375-16-CPLN	3/8"-16	1-3/4"
500-13-CPLN	1/2"-13	1-3/4"
625-11-CPLN	5/8"-11	2-1/8"
750-10-CPLN	3/4"-10	2-1/4"
875-09-CPLN	7/8"-9	2-1/2"
100-08-CPLN	1"-8	2-3/4"

*OTHER LENGTHS & PLATING AVAILABLE (PLAIN, HOT DIPPED GALVANIZED, S/S)

XGO BlackGold® Jobber Drills



XGO BlackGold Drills offers:

- Superior strength and durability—M7 molybdenum high speed steel.
- More holes per drill than ordinary twist drills, especially in cordless tools.
- Black and gold surface treatment holds lubricant for smoother drilling.
- Meets NAS 907B aircraft specifications.
- Now available in 3/8" and 1/2" shank Silver & Deming split point.

FRACTIONAL DRILLS

Part Number	Diameter	Flute Length	Overall Length
XGO116	1/16"	7/8"	1-7/8"
XGO564	5/64"	1"	2"
XGO332	3/32"	1-1/4"	2-1/4"
XGO764	7/64"	1-1/2"	2-5/8"
XGO18	1/8"	1-5/8"	2-3/4"
XGO964	9/64"	1-3/4"	2-7/8"
XGO532	5/32"	2"	3-1/8"
XGO1164	11/64"	2-1/8"	3-1/4"
XGO316	3/16"	2-5/16"	3-1/2"
XGO1364	13/64"	2-7/16"	3-5/8"
XGO732	7/32"	2-1/2"	3-3/4"
XGO1564	15/64"	2-5/8"	3-7/8"
XGO14	1/4"	2-3/4"	4"
XGO1764	17/64"	2-7/8"	4-1/8"
XGO932	9/32"	2-15/16"	4-1/4"
XGO1964	19/64"	3-1/16"	4-3/8"
XGO516	5/16"	3-3/16"	4-1/2"
XGO2164	21/64"	3-5/16"	4-5/8"
XGO1132	11/32"	3-7/16"	4-3/4"
XGO2364	23/64"	3-1/2"	4-7/8"
XGO38	3/8"	3-5/8"	5"
XGO2564	25/64"	3-3/4"	5-1/8"
XGO1332	13/32"	3-7/8"	5-1/4"
XGO2764	27/64"	3-15/16"	5-3/8"
XGO716	7/16"	4-1/16"	5-1/2"
XGO2964	29/64"	4-3/16"	5-5/8"
XGO1532	15/32"	4-5/16"	5-3/4"
XGO3164	31/64"	4-3/8"	5-7/8"
XGO12	1/2"	4-1/2"	6"

LETTER DRILLS

Part Number	Decimal Equivalent	Flute Length	Overall Length
XGO-A	.2340	2-5/8"	3-7/8"
XGO-B	.2380	2-3/4"	4"
XGO-C	.2420	2-3/4"	4"
XGO-D	.2460	2-3/4"	4"
XGO-F	.2570	2-7/8"	4-1/8"
XGO-G	.2610	2-7/8"	4-1/8"
XGO-H	.2660	2-7/8"	4-1/8"
XGO-I	.2720	2-7/8"	4-1/8"
XGO-J	.2770	2-7/8"	4-1/8"
XGO-K	.2810	2-15/16"	4-1/4"
XGO-L	.2900	2-15/16"	4-1/4"
XGO-M	.2950	3-1/16"	4-3/8"
XGO-N	.3020	3-1/16"	4-3/8"
XGO-O	.3160	3-3/16"	4-1/2"
XGO-P	.3230	3-5/16"	4-5/8"
XGO-Q	.3320	3-7/16"	4-3/4"
XGO-R	.3390	3-7/16"	4-3/4"
XGO-S	.3480	3-1/2"	4-7/8"
XGO-T	.3580	3-1/2"	4-7/8"
XGO-U	.3680	3-5/8"	5"
XGO-V	.3770	3-5/8"	5"
XGO-W	.3860	3-3/4"	5-1/8"
XGO-X	.3970	3-3/4"	5-1/8"
XGO-Y	.4040	3-7/8"	5-1/4"
XGO-Z	.4130	3-7/8"	5-1/4"

XGO BlackGold® Jobber Drills



Outperform ordinary jobber drills by penetrating faster and lasting longer.

The functional black and gold surface treatment holds lubricant for smoother drilling.

Part Number	Decimal Equivalent	Flute Length	Overall Length
XGO-1	.2280	2-5/8"	3-7/8"
XGO-2	.2210	2-5/8"	3-7/8"
XGO-3	.2130	2-1/2"	3-3/4"
XGO-4	.2090	2-1/2"	3-3/4"
XGO-5	.2055	2-1/2"	3-3/4"
XGO-6	.2040	2-1/2"	3-3/4"
XGO-7	.2010	2-7/16"	3-5/8"
XGO-8	.1990	2-7/16"	3-5/8"
XGO-9	.1960	2-7/16"	3-5/8"
XGO-10	.1935	2-7/16"	3-5/8"
XGO-11	.1910	2-5/16"	3-1/2"
XGO-12	.1890	2-5/16"	3-1/2"
XGO-13	.1850	2-5/16"	3-1/2"
XGO-14	.1820	2-3/16"	3-3/8"
XGO-15	.1800	2-3/16"	3-3/8"
XGO-16	.1770	2-3/16"	3-3/8"
XGO-17	.1730	2-3/16"	3-3/8"
XGO-18	.1695	2-1/8"	3-1/4"
XGO-19	.1660	2-1/8"	3-1/4"
XGO-20	.1610	2-1/8"	3-1/4"
XGO-21	.1590	2-1/8"	3-1/4"
XGO-22	.1570	2"	3-1/8"
XGO-23	.1540	2"	3-1/8"
XGO-24	.1520	2"	3-1/8"
XGO-25	.1495	1-7/8"	3"
XGO-26	.1470	1-7/8"	3"
XGO-27	.1440	1-7/8"	3"
XGO-28	.1405	1-3/4"	2-7/8"
XGO-29	.1360	1-3/4"	2-7/8"
XGO-30	.1285	1-5/8"	2-3/4"

Part Number	Decimal Equivalent	Flute Length	Overall Length
XGO-31	.1200	1-5/8"	2-3/4"
XGO-32	.1160	1-5/8"	2-3/4"
XGO-33	.1130	1-1/2"	2-5/8"
XGO-34	.1110	1-1/2"	2-5/8"
XGO-35	.1100	1-1/2"	2-5/8"
XGO-36	.1065	1-7/16"	2-1/2"
XGO-37	.1040	1-7/16"	2-1/2"
XGO-38	.1015	1-7/16"	2-1/2"
XGO-39	.0995	1-3/8"	2-3/8"
XGO-40	.0980	1-3/8"	2-3/8"
XGO-41	.0960	1-3/8"	3-3/8"
XGO-42	.0935	1-1/4"	2-1/4"
XGO-43	.0890	1-1/4"	2-1/4"
XGO-44	.0860	1-1/8"	2-1/8"
XGO-45	.0820	1-1/8"	2-1/8"
XGO-46	.0810	1-1/8"	2-1/8"
XGO-47	.0790	1"	2"
XGO-48	.0760	1"	2"
XGO-49	.0730	1"	2"
XGO-50	.0700	1"	2"
XGO-51	.0670	1"	2"
XGO-52	.0635	7/8"	1-7/8"
XGO-53	.0595	7/8"	1-7/8"
XGO-54	.0550	7/8"	1-7/8"
XGO-55	.0520	7/8"	1-7/8"
XGO-56	.0465	3/4"	1-3/4"
XGO-57	.0430	3/4"	1-3/4"
XGO-58	.0420	11/16"	1-5/8"
XGO-59	.0410	11/16"	1-5/8"
XGO-60	.0400	11/16"	1-5/8"

29 PIECE TWISTER SETS



Part Number	Description
Twister-XL28	XL28 Brute Mechanics Drills
Twister-XGO	XGO BlackGold Drills

- 29 Piece drill set in a durable plastic case.
- Includes 1/16 through 1/2x64ths.
- Water resistant for use in damp environments.

MAINTENANCE REAMERS

1/2" Straight Shank* / Left Hand Helix / Right Hand Cut / Collar Stop / HSS



SA80-SET = 1/2", 5/8", 3/4"
SA80-SET-4 = 3/8", 1/2", 5/8", 3/4"

Engineered exclusively to enlarge and align existing holes. Especially useful in tight spots
 Industrial applications include: steel erection automotive, truck and trailer manufacturing and repair. Sizes available from 5/16" to 1-1/16", and Mack truck shoulder bolt sizes .652 and .776 diameter.

Part Number	Decimal	Point Diameter	Flute Length	Overall Length	No. of Flutes
REAMER3/8	0.3750	0.188	3"	5"	4
REAMER1/2	0.5000	0.230	3-15/16"	5-15/16"	5
REAMER9/16	0.5625	0.293	3-15/16"	5-15/16"	5
REAMER5/8	0.6250	0.259	4-1/2"	6-9/16"	5
REAMER11/16	0.6875	0.313	4-1/2"	6-9/16"	5
REAMER3/4	0.7500	0.453	4-15/16"	7"	5
REAMER13/16	0.8125	0.516	4-15/16"	7"	5
REAMER7/8	0.8750	0.580	5-3/16"	7-1/4"	5
REAMER15/16	0.9375	0.643	5-3/16"	7-1/4"	5
REAMER1	1.0000	0.708	5-3/16"	7-1/4"	5
REAMER1-1/16	1.0625	0.753	5-7/16"	7-1/4"	5

*Shank diameter same as reamer diameter.

Brute XSR Step Reamers

Heavy Duty, 5 Sizes Per Tool

Item #: XSR

- Enlarge And Align Holes In Steel, Stainless Steel And Tough Alloys Up to 1/2 Inch Thick
- 5 Drill Sizes Per Tool- Efficient, Productive, Convenient Tool
- Ideal Maintenance Tool For Construction, Steel Fabrication, MRO, MEP, Automotive Work
- Sharp Two Flute Design For Fast, Smooth, Bur-Free Holes
- Safety Collar Prevents Over-Penetration And Enhances Operator Control
- 1/2 In Shank For Use in Portable Power Drills And Drill Presses
- 90° Drill Point For Drilling New Holes Using A Drill Press
- High Speed Steel



SKU Number	Size (IN)
XSR-5/16X9/16	5/16, 3/8, 7/16, 1/2, 9/16
XSR-9/16X13/16	6 9/16, 5/8, 11/16, 3/4, 13/16
XSR-13/16X1-1/16	13/16, 7/8, 15/16, 1, 1-1/16

Brute XSR Step Reamer Set

Heavy Duty, 3 Piece

Item #: XSR-SET

- Includes 1 Piece Each XSR-5/16X9/16, XSR-9/16X13/16, and XSR-13/16X1-1/16
 - 15 Drill Sizes: (5/16, 3/8, 7/16, 1/2, 9/16), (9/16, 5/8, 11/16, 3/4, 13/16), (13/16, 7/8, 15/16, 1, 1-1/16)
 - Heavy Duty Hybrid Of A Step Drill And Maintenance Reamer
 - Enlarge And Align Holes Up to 1/2 In. Thick
 - Cut Steel, Stainless Steel, And Tough Alloys
 - Sharp 2 Flute Design For Fast, Smooth, Bur-Free Holes
 - 1/2 In. Flatted Shank For Use In Power Drills And Drill Presses
 - Safety Collar Prevents Over-Penetration
 - 90° Drill Point For Drilling New Holes Using A Drill Press
 - Ideal For Steel Fabrication, Construction, MRO, And Automotive Work
- High Speed Steel



HSS Annular Cutters w/ Pin



1" Depth Of Cut

Item #: CS100

- Drill Large Diameter Holes In Steel Plate, Structural Beams, Pipe, Tube
- For Use With RotoBrute Magnetic Drill Press Systems And Most Other Mag Drill Systems
- Up to 1 In Depth Of Cut
- Pilot Pin Ejects Metal Plug For Fast, Productive Drilling
- Use BruteLube Fluid Or Wax For Enhanced Heat Resistance And Longer Tool Life

Annular Cutting Type: HSS

Depth Of Cut (IN):

SKU Number	Size (IN)	Shank Size	Pilot Pin (Included)
CS100-7/16	7/16	3/4	CS100-7/16
CS100-1/2	1/2	3/4	CS100P
CS100-9/16	9/16	3/4	CS100P
CS100-5/8	5/8	3/4	CS100P
CS100-11/16	11/16	3/4	CS100P
CS100-3/4	3/4	3/4	CS100P
CS100-13/16	13/16	3/4	CS100P
CS100-7/8	7/8	3/4	CS100P
CS100-15/16	15/16	3/4	CS100P
CS100-1	1	3/4	CS100P
CS100-1-1/16	1-1/16	3/4	CS100P
CS100-1-1/8	1-1/8	3/4	CS100P
CS100-1-3/16	1-3/16	3/4	CS100P
CS100-1-1/4	1-1/4	3/4	CS100P
CS100-1-5/16	1-5/16	3/4	CS100P
CS100-1-3/8	1-3/8	3/4	CS100P
CS100-1-1/2	1-1/2	3/4	CS100P
CS100-1-5/8	1-5/8	3/4	CS100P
CS100-1-3/4	1-3/4	3/4	CS100P
CS100-1-7/8	1-7/8	3/4	CS100P
CS100-2	2	3/4	CS100P
CS100P-7/16	Pilot Pin	N/A	N/A
CS100P	Pilot Pin	N/A	N/A

HSS Annular Cutters w/ Pin



2" Depth Of Cut
Item #: CS200

- Drill Large Diameter Holes In Steel Plate, Structural Beams, Pipe, Tube
- For Use With RotoBrute Magnetic Drill Press Systems And Most Other Mag Drill Systems
- Up to 2 In Depth Of Cut
- Pilot Pin Ejects Metal Plug For Fast, Productive Drilling
- Use BruteLube Fluid Or Wax For Enhanced Heat Resistance And Longer Tool Life
-

Annular Cutting Type: HSS

Depth Of Cut (IN):

SKU Number	Size (IN)	Shank Size	Pilot Pin (Included)
CS200-7/16	7/16	3/4	CS200-7/16
CS200-1/2	1/2	3/4	CS200P
CS200-9/16	9/16	3/4	CS200P
CS200-5/8	5/8	3/4	CS200P
CS200-11/16	11/16	3/4	CS200P
CS200-3/4	3/4	3/4	CS200P
CS200-13/16	13/16	3/4	CS200P
CS200-7/8	7/8	3/4	CS200P
CS200-15/16	15/16	3/4	CS200P
CS200-1	1	3/4	CS200P
CS200-1-1/16	1-1/16	3/4	CS200P
CS200-1-1/8	1-1/8	3/4	CS200P
CS200-1-3/16	1-3/16	3/4	CS200P
CS200-1-1/4	1-1/4	3/4	CS200P
CS200-1-5/16	1-5/16	3/4	CS200P
CS200-1-3/8	1-3/8	3/4	CS200P
CS200-1-1/2	1-1/2	3/4	CS200P
CS200-1-5/8	1-5/8	3/4	CS200P
CS200-1-3/4	1-3/4	3/4	CS200P
CS200-1-7/8	1-7/8	3/4	CS200P
CS200-2	2	3/4	CS200P
CS200P-7/16	Pilot Pin	N/A	N/A
CS200P	Pilot Pin	N/A	N/A

SILVER & DEMING DRILLS (1/2" Shank Drills)



Used extensively in maintenance departments, machine shops, and in construction environments. Silver and Deming drills are perfect for portable drilling and drill presses where the chuck capacity is 1/2".

Part Number	Fractional Diameter	Decimal	Flute Length	Overall Length
XG12M-33/64	33/64"	0.5156	3-1/8"	6"
XG12M-17/32	17/32"	0.5312	3-1/8"	6"
XG12M-35/64	35/64"	0.5469	3-1/8"	6"
XG12M-9/16	9/16"	0.5625	3-1/8"	6"
XG12M-19/32	19/32"	0.5938	3-1/8"	6"
XG12M-39/64	39/64"	0.6094	3-1/8"	6"
XG12M-5/8	5/8"	0.6250	3-1/8"	6"
XG12M-21/32	21/32"	0.6562	3-1/8"	6"
XG12M-11/16	11/16"	0.6875	3-1/8"	6"
XG12M-3/4	3/4"	0.7500	3-1/8"	6"

Part Number	Fractional Diameter	Decimal	Flute Length	Overall Length
XG12M-13/16	13/16"	0.8125	3-1/8"	6"
XG12M-53/64	53/64"	0.8281	3-1/8"	6"
XG12M-7/8	7/8"	0.8750	3-1/8"	6"
XG12M-15/16	15/16"	0.9375	3-1/8"	6"
XG12M-1	1"	1.0000	3-1/8"	6"
XG12M-1-1/16	1-1/16"	1.0625	3-1/8"	6"
XG12M-1-1/8	1-1/8"	1.1250	3-1/8"	6"
XG12M-1-3/16	1-3/16"	1.1875	3-1/8"	6"
XG12M-1-5/16	1-5/16"	1.3125	3-1/8"	6"
XG12M-1-1/2	1-1/2"	1.5000	3-1/8"	6"

SPIRAL POINTED TAPS



PIPE AND PIPE FITTING TAPS

Part Number	Tap Size	TPI	Thread Length	No. of Flutes
HSNPT170301	1/16"	27	11/16"	4
HSNPT170302	1/8"	27	3/4"	4
HSNPT170303	1/4"	18	1-1/16"	4
HSNPT170304	3/8"	18	1-1/16"	4
HSNPT170305	1/2"	14	1-3/8"	4
HSNPT170306	3/4"	14	1-3/8"	5
HSNPT170307	1"	11-1/2	1-3/4"	5
HSNPT170308	1-1/4"	11-1/2	1-3/4"	5
HSNPT170309	1-1/2"	11-1/2	1-3/4"	7
HSNPT170310	2"	11-1/2	1-3/4"	7

METRIC SPIRAL POINTED "GUN" TAPS

Part Number	Tap Size	Pitch	"D" Limit	Length	No. of Flutes
SPTM170151	1.60	0.35	3	5/16"	2
SPTM170152	1.80	0.35	3	3/8"	2
SPTM170153	2.00	0.40	3	7/16"	2
SPTM170154	2.20	0.45	3	7/16"	2
SPTM170155	2.50	0.45	3	1/2"	2
SPTM170156	3.00	0.50	3	5/8"	2
SPTM170157	3.50	0.60	4	11/16"	2
SPTM170158	4.00	0.70	4	3/4"	2
SPTM170159	4.50	0.75	4	7/8"	2
SPTM170160	5.00	0.80	4	7/8"	2
SPTM170161	6.00	1.00	5	1"	2
SPTM170163	7.00	1.00	5	1-1/8"	2
SPTM170164	8.00	1.25	5	1-1/8"	2
SPTM170165	8.00	1.00	5	1-1/8"	2
SPTM170166	10.0	1.50	6	1-1/4"	3
SPTM170167	10.0	1.25	5	1-1/4"	3
SPTM170168	12.0	1.75	6	1-21/32"	3
SPTM170169	12.0	1.25	5	1-21/32"	3
SPTM170170	14.0	2.00	7	1-21/32"	3
SPTM170171	14.0	1.50	6	1-21/32"	3
SPTM170172	16.0	2.00	7	1-13/16"	3
SPTM170173	16.0	1.50	6	1-13/16"	3
SPTM170174	18.0	2.50	7	1-13/16"	4
SPTM170175	20.0	2.50	7	2"	3

MACHINE SCREW SIZES

Part Number	Tap Size	TPI	No. of Flutes	Grind Limits
SPT170100	0	80	2	H1
SPT170101	1	64	2	H1
SPT170102	1	72	2	H1
SPT170103	2	56	2	H2
SPT170104	2	64	2	H2
SPT170105	3	48	2	H2
SPT170106	3	56	2	H2
SPT170107	4	40	2	H2
SPT170108	4	48	2	H2
SPT170109	5	40	2	H2
SPT170110	5	44	2	H2
SPT170111	6	32	2	H2
SPT170112	6	40	2	H2
SPT170113	8	32	2	H2
SPT170114	8	36	2	H2
SPT170115	10	24	2	H3
SPT170116	10	32	2	H3
SPT170117	12	24	2	H3
SPT170118	12	28	2	H3

FRACTIONAL SIZES

SPT170128	1/4"	20	2	H3
SPT170129	1/4"	28	2	H3
SPT170130	5/16"	18	2	H3
SPT170131	5/16"	24	2	H3
SPT170132	3/8"	16	3	H3
SPT170133	3/8"	24	3	H3
SPT170134	7/16"	14	3	H3
SPT170135	7/16"	20	3	H3
SPT170136	1/2"	13	3	H3
SPT170137	1/2"	20	3	H3
SPT170138	9/16"	12	3	H3
SPT170139	9/16"	18	3	H3
SPT170140	5/8"	11	3	H3
SPT170141	5/8"	18	3	H3
SPT170142	3/4"	10	3	H3
SPT170143	3/4"	16	3	H3
SPT170144	7/8"	9	3	H4
SPT170145	7/8"	14	3	H4
SPT170146	1"	8	3	H4
SPT170147	1"	12	3	H4
SPT170148	1"	14	3	H4



BI-METAL HOLE SAWS

LENOX Bi-metal Hole Saws have a patented tooth design and patented tooth configuration which provides long life and fast cutting for a wide variety of materials.



Part Number	SIZE		ARBOR Number
	INCH	MM	
30009	9/16	14.3	1L or 5L
30010	5/8	15.9	1L or 5L
30011	11/16	17.5	1L or 5L
30012	3/4	19.1	1L or 5L
30098	25/32	19.8	1L or 5L
30013	13/16	20.6	1L or 5L
30014	7/8	22.2	1L or 5L
30015	15/16	23.8	1L or 5L
30016	1	25.4	1L or 5L
30017	1-1/16	27.0	1L or 5L
30018	1-1/8	28.6	1L or 5L
30019	1-3/16	30.2	1L or 5L
30020	1-1/4	31.8	2L or 6L
30021	1-5/16	33.3	2L or 6L
30022	1-3/8	34.9	2L or 6L
30023	1-7/16	36.5	2L or 6L
30024	1-1/2	38.1	2L or 6L
30025	1-9/16	39.7	2L or 6L
30026	1-5/8	41.3	2L or 6L
30027	1-11/16	42.9	2L or 6L
30028	1-3/4	44.5	2L or 6L
30029	1-13/16	46.0	2L or 6L
30030	1-7/8	47.6	2L or 6L
30032	2	50.8	2L or 6L
30033	2-1/16	52.4	2L or 6L
30034	2-1/8	54.0	2L or 6L

Part Number	SIZE		ARBOR Number
	INCH	MM	
30036	2-1/4	57.2	2L or 6L
30040	2-1/2	63.5	2L or 6L
30041	2-9/16	65.1	2L or 6L
30042	2-5/8	66.7	2L or 6L
30043	2-11/16	68.3	2L or 6L
30044	2-3/4	69.9	2L or 6L
30046	2-7/8	73.0	2L or 6L
30048	3	76.2	2L or 6L
30050	3-1/8	79.4	2L or 6L
30052	3-1/4	82.6	2L or 6L
30054	3-3/8	85.7	2L or 6L
30056	3-1/2	88.9	2L or 6L
30058	3-5/8	92.1	2L or 6L
30060	3-3/4	95.3	2L or 6L
30062	3-7/8	98.4	2L or 6L
30064	4	101.6	2L or 6L
30066	4-1/8	104.8	2L or 6L
30068	4-1/4	108.0	2L or 6L
30070	4-3/8	111.1	2L or 6L
30072	4-1/2	114.3	2L or 6L
30074	4-5/8	117.5	2L or 6L
30076	4-3/4	120.7	2L or 6L
30080	5	127.0	2L or 6L
30088	5-1/2	139.7	2L or 6L
30096	6	152.4	2L or 6L

ARBORS



1L = 1779774
Standard Hex Arbor



2L = 1779801
Standard Hex Arbor



5L = 1779804
Quick Attach Arbor



6L = 1779805
Quick Attach Arbor

BI-METAL RECIPROCATATING SAW BLADES



- Patented tooth design provides long blade life.
- Shatter resistant, bi-metal design provides flexibility and durability.
- Optimized for specific applications.



Part Number	TPI	INCH			MILLIMETERS		
		LENGTH	WIDTH	THICK	LENGTH	WIDTH	THICK
20449	6	4	3/4	.050	102	19	1.3
20560	6	6	3/4	.035	152	19	0.9
20556	6	6	7/16	.050	152	11	1.3
20582	6	9	3/4	.050	229	19	1.3
20585	6	12	3/4	.050	305	19	1.3
20562	10	6	3/4	.035	152	19	0.9
20583	10/14	12	3/4	.050	305	19	1.3
20550	14	4	3/4	.035	102	19	0.9
20564	14	6	3/4	.035	152	19	0.9
20552	18	4	3/4	.035	102	19	0.9
20566	18	6	3/4	.035	152	19	0.9
20568	24	6	3/4	.035	152	19	0.9

HEAVY DUTY "LAZER" METAL CUTTING



PART NUMBER	LENGTH	TPI	QTY/PACK
20176	9"	10	5 PER
20178	9"	14	5 PER
20180	9"	18	5 PER
20182	12"	10	5 PER
20184	12"	14	5 PER
20190	12"	18	5 PER

PORTABAND BLADES



Milwaukee			
PART NUMBER	DESCRIPTION	TPI	QTY/PACK
48-39-0572	27" x 1/2" x .020"	18	3 PER
48-39-0579	32-7/8" x 1/2" x .020 "	18	3 PER
48-39-0609	35-3/8" x 1/2" x .020"	8/10	3 PER

Lenox:			
PART NUMBER	DESCRIPTION	TPI	QTY/PACK
80115	44-7/8" X 1/2" X .023"	14	3 PER
80116	44-7/8" X 1/2" X .023"	18	3 PER




CUTTING WHEELS



WOLVERINE VALUE CUTTING WHEELS FOR DIE GRINDERS							
PART NUMBER	ARBOR	DIAMETER	THICKNESS	GRADE	MAX RPM	PACK SIZE	TYPE
56060	3/8"	3"	1/8"	A36S	25,000	50	1
56061	1/4"	3"	0.035"	A60T	25,000	100	1
56062	3/8"	3"	0.035"	A60T	25,000	100	1
56065	1/4"	3"	1/16"	A36T	25,000	100	1
56068	3/8"	3"	1/16"	A36T	25,000	100	1
56080	3/8"	4"	0.035"	A60T	19,000	50	1
56086	3/8"	4"	1/16"	A36T	19,000	50	1
56099	3/8"	4"	1/8"	A36T	19,000	50	1
56271	5/8	4"	0.035"	A60T	19,000	50	1




WOLVERINE FAST CUTTING WHEEL							
PART NUMBER	ARBOR	DIAMETER	THICKNESS	GRADE	MAX RPM	PACK SIZE	TYPE
56281	7/8"	4-1/2"	0.045"	A60T	13,300	50	1
56393	7/8"	4-1/2"	0.045"	A60S	13,300	25	27
56273	7/8"	6"	0.045"	A60T	10,200	25	1



TIGER LONG LIFE PERFORMANCE CUTTING WHEEL							
PART NUMBER	ARBOR	DIAMETER	THICKNESS	GRADE	MAX RPM	PACK SIZE	TYPE
57020	7/8"	4-1/2"	0.045"	A60T	13,300	25	1
57021	7/8"	5"	0.045"	A60T	12,200	25	1
57041	7/8"	4-1/2"	0.045"	A60T	13,300	25	27
57081	7/8"	4-1/2"	3/32"	A36S	13,300	25	27



TIGER ZIRC FAST CUT & LONG LIFE HIGH PERFORMANCE CUTTING WHEEL							
PART NUMBER	ARBOR	DIAMETER	THICKNESS	GRADE	MAX RPM	PACK SIZE	TYPE
58000	7/8"	4-1/2"	0.045"	Z60T	13,300	25	1




TIGER INOX HIGH PERFORMANCE CUTTING WHEEL FOR STAINLESS							
PART NUMBER	ARBOR	DIAMETER	THICKNESS	GRADE	MAX RPM	PACK SIZE	TYPE
58100	7/8"	4-1/2"	0.045"	INOX60S	13,300	25	1
57040	5/8"	4-1/2"	0.045"	A60T	13,300	10	27

Other brands available upon request.



GRINDING WHEELS



WOLVERINE FAST CUTTING GRINDING WHEEL							
PART NUMBER	ARBOR	DIAMETER	THICKNESS	GRADE	MAX RPM	PACK SIZE	TYPE
56454	5/8"	4-1/2"	1/4"	A24R	13,300	10	27
56457	7/8"	4-1/2"	1/4"	A24N	13,300	25	27
56280	7/8"	6"	1/4"	A24R	10,200	25	27
56467	7/8"	7"	1/4"	A24R	8,500	25	27
56464	7/8"	4-1/2"	1/4"	A24R	13,300	25	27



TIGER LONG LIFE PERFORMANCE GRINDING WHEEL							
PART NUMBER	ARBOR	DIAMETER	THICKNESS	GRADE	MAX RPM	PACK SIZE	TYPE
57121	7/8"	4-1/2"	1/4"	A24R	15,300	10	27
57124	5/8-11	7"	1/4"	A24R	8,500	10	27



TIGER ZIRC CERAMIC INFUSED HIGH PERFORMANCE GRINDING WHEEL							
PART NUMBER	ARBOR	DIAMETER	THICKNESS	GRADE	MAX RPM	PACK SIZE	TYPE
58071	7/8"	4-1/2"	1/4"	Z24T	13,300	10	27



TIGER INOX HIGH PERFORMANCE GRINDING WHEEL FOR STAINLESS							
PART NUMBER	ARBOR	DIAMETER	THICKNESS	GRADE	MAX RPM	PACK SIZE	TYPE
58121	7/8"	4-1/2"	1/4"	INOX24R	13,300	10	27
58124	5/8-11	7"	1/4"	INOX24R	8,500	10	27



TIGER ALUMINUM HIGH PERFORMANCE GRINDING WHEEL							
PART NUMBER	ARBOR	DIAMETER	THICKNESS	GRADE	MAX RPM	PACK SIZE	TYPE
58225	7/8"	4-1/2"	1/4"	ALU24R	13,300	10	27
58226	5/8-11	4-1/2"	1/4"	ALU24R	13,300	10	27

Other brands available upon request.



WIRE AND FLAP WHEELS



KNOT WIRE CUP BRUSHES						
PART NUMBER	DIAMETER	WIRE SIZE	ARBOR	TRIM	MAX RPM	TYPE
13286	2-3/4"	0.020"	5/8-11	1"	14,000	-
12306	4"	0.014"	5/8-11	1-1/4"	10,200	-
12316	4"	0.023"	5/8-11	1-1/4"	10,200	-



STANDARD KNOT WIRE TWIST WHEELS WITH STEM						
PART NUMBER	DIAMETER	WIRE SIZE	# KNOTS	TRIM	MAX RPM	TYPE
17681	3-1/4"	0.014"	20	5/8"	25,000	-



WOLVERINE 1/4" STEM MOUNTED FLAP WHEELS						
PART NUMBER	DIAMETER	WIDTH	GRIT	MAX RPM	PACK SIZE	TYPE
30720	1"	1"	60	30,000	10	-
30721	1"	1"	80	30,000	10	-
30722	1"	1"	120	30,000	10	-
30723	2"	1"	60	25,000	10	-
30724	2"	1"	80	25,000	10	-
30728	3"	1"	120	23,000	10	-



WOLVERINE STANDARD DENSITY ABRASIVE FLAP DISC						
PART NUMBER	DIAMETER	ARBOR	GRIT	MAX RPM	PACK SIZE	TYPE
31345	4-1/2"	7/8"	60	13,000	10	29
31346	4-1/2"	7/8"	80	13,000	10	29
31347	4-1/2"	7/8"	120	13,000	10	29



BOBCAT PERFORMANCE MINI ABRASIVE FLAP DISC						
PART NUMBER	DIAMETER	GRIT	MAX RPM	MOUNT	PACK SIZE	TYPE
50946	2"	36	30,000	"R"	10	29
50948	2"	60	30,000	"R"	10	29
50949	2"	80	30,000	"R"	10	29
50952	3"	40	20,000	"R"	10	29
50953	3"	60	20,000	"R"	10	29
50954	3"	80	20,000	"R"	10	29



FLAP AND CONDITIONING DISCS



TIGER PAW PERFORMANCE STANDARD DENSITY ABRASIVE FLAP DISC						
PART NUMBER	DIAMETER	ARBOR	GRIT	MAX RPM	PACK SIZE	TYPE
51107	4-1/2"	7/8"	36	13,000	10	27
51108	4-1/2"	7/8"	40	13,000	10	27
51109	4-1/2"	7/8"	60	13,000	10	27
51110	4-1/2"	7/8"	80	13,000	10	27
51112	4-1/2"	5/8-11	36	13,000	10	27
51113	4-1/2"	5/8-11	40	13,000	10	27
51114	4-1/2"	5/8-11	60	13,000	10	27
51115	4-1/2"	5/8-11	80	13,000	10	27



TIGER X HIGH PERFORMANCE STANDARD DENSITY ABRASIVE FLAP DISC						
PART NUMBER	DIAMETER	ARBOR	GRIT	MAX RPM	PACK SIZE	TYPE
51202	4-1/2"	7/8"	60	13,000	10	29
51203	4-1/2"	7/8"	80	13,000	10	29

For Stainless



TIGER ANGLED HIGH PERFORMANCE ABRASIVE FLAP DISC						
PART NUMBER	DIAMETER	ARBOR	GRIT	MAX RPM	PACK SIZE	TYPE
51301	4-1/2"	7/8"	60	13,000	10	Zirconia Alumina
51304	4-1/2"	5/8-11	60	13,000	10	Zirconia Alumina



With Plastic Button

SURFACE CONDITIONING DISCS—TYPE R HUB STYLE			
PART NUMBER	DIAMETER	GRADE	PACK
51530	2"	BLUE (VERY FINE)	50
51531	2"	MAROON (MEDIUM)	50
51532	2"	BROWN (COARSE)	50
51533	3"	BLUE (VERY FINE)	25
51534	3"	MAROON (MEDIUM)	25
51535	3"	BROWN (COARSE)	25



TYPE R HUB STYLE BACK-UP PADS			
PART NUMBER	DIAMETER	MAX RPM	PACK
51551	2"	30,000	1
51552	3"	20,000	1



CHOW SAW & GAS SAW BLADES



PERFORMANCE LARGE CUTTING WHEELS FOR CHOP SAWS						
PART NUMBER	ARBOR	DIAMETER	THICKNESS	GRADE	MAX RPM	PACK SIZE
57090	1"	12"	3/32"	A36T	5,100	25
57091	1"	14"	1/8"	A30R	4,400	10
57092	1"	14"	3/32"	A36T	4,400	10
57093	1"	14"	3/32"	A36R	4,400	10
616204000	1"	16"	5/32"	A30S	4,800	10
66253410185	1"	18"	5/32"	A30S	3,015	10

SPECIALTY ROLLS



TIGER COATED ABRASIVE SHOP ROLLS		
PART NUMBER	WIDTH	GRIT
65205	1"	60
65206	1"	80
65208	1"	120
65210	1"	180
65212	1"	240



EMERY CLOTH ROLLS		
PART NUMBER	WIDTH	GRIT
SP12SR15060A	1-1/2"	60
SP12SR15080A	1-1/2"	80
SP12SR15120A	1-1/2"	120
SP12SR15150A	1-1/2"	150
SP12SR15180A	1-1/2"	180
SP12SR15220A	1-1/2"	220
SP12SR15240A	1-1/2"	240
SP12SR15400A	1-1/2"	400

HAND PADS 6" x 9"



PART NUMBER	COLOR	GRIT
4132.9840.8711.53	GREY	ULTRA FINE S
4132.9840.6932.47	MAROON	VERY FINE A





CLEANING PRODUCTS



VORTEC PARTS CLEANING BRUSHES	
PART NUMBER	DESCRIPTION
25221	NYLON FILL, FOAM ROUND SASH HANDLE



DOUBLE SIDED SCRATCH BRUSH	
PART NUMBER	DESCRIPTION
44732	BRASS AND STAINLESS FILL



HAND WIRE SCRATCH BRUSH	
PART NUMBER	DESCRIPTION
44063	0.012" CARBON STEEL FILL, 4 X 16 ROWS



HAND WIRE SCRATCH BRUSH	
PART NUMBER	DESCRIPTION
73218	0.012" BRASS WIRE FILL



SMALL SCRATCH BRUSHES	
PART NUMBER	DESCRIPTION
804-99383	WIRE SCRATCH BRUSH NYLON
CBISBS100	WIRE SCRATCH BRUSH S/S
804-44053	14" X 5.5" CARBON STEEL
804-44054	14" X 5.5" STAINLESS STEEL



PART NUMBER	DESCRIPTION
103-W36	WAREHOUSE CORN BROOM



WHISK BROOM	
PART NUMBER	DESCRIPTION
35275	7- 1/2" 11-34" OAL



ANGLE BROOM	
PART NUMBER	DESCRIPTION
804-44305	LARGE PLASTIC 12" SWEEP FACE



PLASTIC DUST PAN	
PART NUMBER	DESCRIPTION
640-2005-CC	12.25" X 8.25" CHARCOAL COLOR



CLEANING PRODUCTS



16" STREET BROOM

PART NUMBER	DESCRIPTION
42032	6-1/4" TRIM, BASS & PALMYRA BLEND FILL



18" STREET BROOM

PART NUMBER	DESCRIPTION
42007	18" Medium Sweep Floor Brush, Black Tampico Fill



24" STREET BROOM

PART NUMBER	DESCRIPTION
25232	24" Vortec Pro Medium Sweep Floor Brush, Tampico Fill



24" STREET BROOM

PART NUMBER	DESCRIPTION
42017	24" Medium Sweep Floor Brush, Black Tampico Center w/Horsehair Casing



36" STREET BROOM

PART NUMBER	DESCRIPTION
42049	36" Medium Sweep Floor Brush, Black Tampico Center w/Horsehair Casing, Includes Brace



36" STREET BROOM

PART NUMBER	DESCRIPTION
42098	36" Fine Sweep Floor Brush, Flagged Silver Polystyrene Fill, Includes Brace



CLEANING PRODUCTS



24" STREET BROOM

PART NUMBER	DESCRIPTION
869HDSU	Push Broom, 24 in Sweep Face, Polypropylene Bristle, Wood Handle



24" PRO-FLEX SWEEPS

PART NUMBER	TRIM	DESCRIPTION
44600	3"	FLAGGED GREY POLYSTYRENE BORDER WITH STIFF BLACK POLYPROPYLENE CENTER



VORTEC PRO GARAGE BRUSH

PART NUMBER	DESCRIPTION
25239	24" MAROON POLYPROPYLENE FILL



HEAVY DUTY STEEL BRACE

PART NUMBER	DESCRIPTION
44290	ATTACHES TO BLOCK WITH WOOD SCREWS AND WRAPS AROUND HANDLE.



THREADED METAL HARDWOOD HANDLE 1-1/8" X 60"

PART NUMBER	DESCRIPTION
44435	RECOMMENDED WITH ALL GARAGE BRUSHES



TAPERED HARDWOOD HANDLE 1-1/8" X 60"

PART NUMBER	DESCRIPTION
44020	FOR USE WITH MASONRY AND ROOF BRUSHES, STREET BROOMS, FLOOR AND DECK SCRUBS AND SQUEEGEES

GENERAL PURPOSE HAND TOOLS

RAZOR-BACK®
PROFESSIONAL TOOLS

Wood Handle Bow Rake

Part Number	Description
760-63141	66" wood handle



Fiberglass Handle Bow Rake

Part Number	Description
760-63184	60" Fiberglass handle



Add Level Rake

Part Number	Description
760-63111	66" white ash handle



Aluminum Asphalt Lute Rake

Part Number	Description
760-63133	36" handle



UnionTools®



7" Sidewalk Ice Scraper

Part Number	Description
760-78202	54" Wood Handle

TRUE TEMPER®



Toughstrike Fiberglass Wood Pick Mattock

Part Number	Description
027-20182900	5LB, 35 In Handle



Toughstrike Fiberglass Sledge Hammer

Part Number	Description
027-20184900	8LB, 35 In Handle


Seymour Midwest Lute Rakes

Part Number	Description
56225	24" Light Lute Rake 82" Aluminum Handle, Gusset Bracing
56231	30" Light Lute Rake 82" Aluminum Handle, Gusset Bracing
56237	36" Light Lute Rake 82" Aluminum Handle, Gusset Bracing



MADE IN USA

GENERAL PURPOSE HAND TOOLS



TRUE TEMPER®

Hardwood D-Handle
Aluminum Scoop Shovel

- 15 inch Ribbed Blade.
- 26 inch Hardwood Handle.



Part Number	Description
027-2681200	27" Aluminum Scoop

TRUE TEMPER®

Hardwood D-Handle
Poly Scoop Shovel

- 18 inch Ribbed Blade.
- 28 inch Hardwood handle.



Part Number	Description
027-2604300	28" Poly Scoop

UTILITY KNIFE & BLADES



PART NUMBER	DESCRIPTION
586-2082200B	PROTOUCH RETRACTABLE UTILITY KNIFE
586-2083200	TRADITIONAL CARBON UTILITY BLADES 100 CT
T54001	PROFERRED RETRACTABLE UTILITY KNIFE



RAZOR BLADES



PART NUMBER	DESCRIPTION
680-11-515	#9 STEEL BACK RAZOR BLADES 100 CT



DIABLO CIRCULAR SAW BLADES

PART NUMBER	DESCRIPTION
D0860S	8-1/2" – 60T 5/8 ARBOR FINE FINISH BLADE
D1040X	10" – 40T X 5/8 ARBOR GENERAL PURPOSE WOOD BLADE
D1490CF	14" – 90T X 1" ARBOR MULTI-PURPOSE & STAINLESS STEEL BLADE



PREMIUM GRADE VINYL ELECTRICAL TAPE



Part Number	Width	Length	Thickness	Color	Break Strength
10810-DL-2W	3/4"	66 FT	7 MIL	Red	17 LB/IN
10869	3/4"	66 FT	7 MIL	Orange	17 LB/IN
10844-DL-5	3/4"	66 FT	7 MIL	Yellow	17 LB/IN
10851-DL-10	3/4"	66 FT	7 MIL	Green	17 LB/IN
10836-DL-10	3/4"	66 FT	7 MIL	Blue	17 LB/IN
11271	3/4"	66 FT	7 MIL	Violet	17 LB/IN
500-00072	3/4"	66 FT	7 MIL	Gray	17 LB/IN
500-10885	3/4"	66 FT	7 MIL	Brown	17 LB/IN
500-06132	3/4"	66 FT	7 MIL	Black	17 LB/IN
10828-DL-2W	3/4"	66 FT	7 MIL	White	17 LB/IN

ECONOMY PREMIUM GRADE VINYL ELECTRICAL TAPE

- Economical all-purpose black electrical tape.
- Provides moisture-tight electrical & mechanical protection.
- Weather resistant. Resists UV rays, acids, alkalis, abrasion, moisture, and corrosion.



Part Number	Width	Length	Thickness
12060	3/4"	60 FT	7 MIL
107507-0100	3/4"	66 FT	7 MIL
108507-0100	3/4"	66 FT	8.5 MIL

ALWAYS IN STOCK!

GENERAL PURPOSE TAPE

2.6 MIL PREMIUM PP

Tensile Strength: 27 lb/in
Adhesion: 26 oz/in

PKTAPE	2"
RUR110	3"



2" TAPE GUN

T336-2



GORILLA TAPE



6035100	2"
6003001	3"

9 MIL CONTRACTOR GRADE

Tensile Strength: 24 lb/in
Adhesion: 45 oz/in



RS-260-09	Grey-2"
203209	Black-2"
DT2-Y	Yellow-2"

SPECIALTY TAPE

240193

1" x 60 YD

PAINTERS TAPE

240195

2" x 60 YD

PAINTERS TAPE



- UV resistant specially formulated adhesive up to 14 days, clean removal.
- Highly versatile use on glass, wood, and tile.

M24010

1/2" x 520" 3.5 MIL

TEFLON SEALING TAPE

- 555-Series Premium Grade, High Density, 100% virgin PTFE.
- Best for deep and large threaded fittings with minimum wraps.



T20102

3" x 1000 FT

CAUTION BARRICADE TAPE

- Long lasting marking solutions for off-limit areas or crowd control.
- Durable non-adhesive Polyethylene film with bright visible colors.



T20212

3" x 1000 FT

RED DANGER DO NOT ENTER TAPE

- Long lasting marking solutions for off-limit areas or crowd control.
- Durable non-adhesive Polyethylene film with bright visible colors.





ENGINEERED FOR PROFESSIONAL USE!



ALAA-24 AA—24 Pack



ALAAA-24 AAA—24 Pack



ALC-12 C—12 Pack



AL9V-12 9V—12 Pack



620-944C 6V Heavy Duty Max Battery



ALD-12 D—12 Pack



EXTENSION CORDS

- Vinyl jacket resists moisture, abrasion, and sunlight.
- Reinforced blades help prevent accidental bending or breaking.
- Heavy-duty strain relief protects electrical connections.

Part Number	Length	Description
CCI02587	25 FT	12 GA / 3 Conductor
CCI02588	50 FT	12 GA / 3 Conductor
CCI02589	100 FT	12 GA / 3 Conductor



3-OUTLET EXTENSION CORD

Part Number	Length
CCI03487	25 FT
CCI03488	50 FT

POWER ZONE 3-OUTLET EXTENSION CORD



These extension cords offer superior job site performance in extremely cold weather designed to withstand moisture, abrasion, chemicals, and oils for survival in the toughest of environments. These extension cords feature a clear molded plug with a power indicator light in the female receptacle to show that the power is on and ready to use. The visible bright yellow vinyl jacket provides extra visibility for safety while preventing loss and theft at jobsites. This is a perfect all-purpose cord for indoor and outdoor use.

Part Number	Length
O8 ORADL611802	12/3 x 2'



MACHINIST DIOPTER SAFETY GLASSES



PART NUMBER	DIOPTER STRENGTH
EMP10S15	1.5
EMP10S20	2.0
EMP10S25	2.5



Sporty, flexible lightweight design. Soft touch temples for added comfort. Single lens wraparound protection. Base curve 8 lens. Every pair includes a neck cord. Provides 99.9% UV protection. Meets ANSI Z87.1+ standards.



PART NUMBER	FRAME COLOR	LENS TINT	LENS COATING
138-25676	Black	Clear	Uncoated
412-25679	Black	Clear	Anti Fog
138-25688	Black	Smoke	Mirror
412-22476	Black	Amber	Anti-Fog
412-22475	Black	Smoke	Anti-Fog



CHECKMATE CLEAR-COATED. Universal nose bridge comfortably fits larger user audience. Near total seal of eye orbit, assures the highest level of protection. Flexible style bayonet temples.



PART NUMBER	FRAME COLOR	LENS TINT	LENS COATING
135-CL010	Clear	Clear	Uncoated
135-CL112	Black	Gray	Anti-Scratch
135-BK113	Light Blue	Light Blue	Anti-Scratch
135-BL112	Grey	Grey	Anti-Scratch
135-BL110	Black	Clear	Anti-Scratch
135-BK110	Clear	Clear	Anti-Scratch



PART NUMBER	FRAME COLOR	LENS TINT	LENS COATING
EHF10S	Clear	Clear	Anti-Scratch
EHB20S	Black	Gray	Anti-Scratch



PART NUMBER	DESCRIPTION
135-LCT	Anti-Fog Cleaning Towelettes (100/BX)


DUST MASKS



ECONOMY DUST MASKS

PART NUMBER	DESCRIPTION	QTY/BOX
NX95	NON –VENTED	20 CT
NX95V	VENTED	10 CT

EAR PROTECTION



PART NUMBER	DESCRIPTION	QTY/BOX
312-1260	CORDED	200
318-1001	PUSHINS	100
247-311-1114	CORDED	100
247-320-2001	CORDED	10



PART NUMBER	DESCRIPTION	QTY/BOX
154-MAX-30	CORDED	100
154-MAX-1	UNCORDED	200
154-LPF-30	CORDED GREEN	100
154-LPF-1	UNCORDED GREEN	200



ECONOMY EAR PROTECTION

PART NUMBER	DESCRIPTION	QTY/BOX
EPFC01	CORDED	100
EPFU01	UNCORDED	200

RAIN JACKETS AND BIB PANTS



LRJK-C3 ANSI/ISEA Class 3 Lime Waterproof Rain Jacket

- Meet ANSI 107-2020 Type R CLASS 3 Standard with 2" Silver Reflective tape on arms & torso
- Lime Green 300D Polyester Oxford with Waterproof PU coating and waterproof taped seams
- Full length storm flap with heavy duty zipper & snap front closures
- Two flapped front pockets with hook & loop closures to secure valuables.
- Removable hood tucks into the collar with draw string
- Adjustable cuffs with snaps
- 1 Mic-Tab & Badge holder on left chest
- Available Sizes: XS-5X
- Packaging: 1/Polybag, 20/Case

PART NUMBER	DESCRIPTION	SIZE
LRJK-C3-M	LIME RAIN JACKET	M
LRJK-C3-L	LIME RAIN JACKET	LG
LRJK-C3-XL	LIME RAIN JACKET	XL
LRJK-C3-2X	LIME RAIN JACKET	2XL
LRJK-C3-3X	LIME RAIN JACKET	3XL
LRJK-C3-4X	LIME RAIN JACKET	4XL
LRJK-C3-5X	LIME RAIN JACKET	5XL



LBIP-CE ANSI/ISEA 107-2020 Class E High-Vis Lime Waterproof Rain Bib Pants

- Waterproof Polyester 300D Oxford With PU Coating & Waterproof Taped Seams
- Meet ANSI 107-2020 Type S Class E Standard With 2" Silver Reflective Stripes
- Adjustable Elastic Suspenders With Quick Release Buckles. Single Snap Fly.
- Adjustable Zippers On Ankles For Safety & Comfort
- Available Sizes: XS-5X
- Packaging: 1/Polybag; 25/Case

PART NUMBER	DESCRIPTION	SIZE
LBIP-CE-L	LIME RAIN BIB PANTS	LG
LBIP-CE-XL	LIME RAIN BIB PANTS	XL
LBIP-CE-2X	LIME RAIN BIB PANTS	2XL
LBIP-CE-3X	LIME RAIN BIB PANTS	3XL
LBIP-CE-4X	LIME RAIN BIB PANTS	4XL
LBIP-CE-5X	LIME RAIN BIB PANTS	5XL

SAFETY VESTS

FEATURES :

- Class III:ANSI/ISEA 107-2010
- Lime Mesh Fabric
- Zipper Closure
- 2-Inch Silver Reflective Tape
- Two Inside Lower Pockets
- One Outside Lower Pocket
- One Outside Chest Pocket with 4 Pen Pockets
- All Pockets include Hook & Loop Closures



PART NUMBER	DESCRIPTION	SIZE
V3001-S	LIME MESH CLASS III VEST	SMALL
V3001-M	LIME MESH CLASS III VEST	MEDIUM
V3001-L	LIME MESH CLASS III VEST	LARGE
V3001-XL	LIME MESH CLASS III VEST	X-LARGE
V3001-2XL	LIME MESS CLASS III VEST	XX-LARGE
V3001-3XL	LIME MESS CLASS III VEST	XXX-LARGE



PVC STEEL TOE BOOTS

PART NUMBER	SIZE
922-18821-050	5
617-18821-6	6
617-18821-7	7
617-18821-8	8
617-18821-9	9
617-18821-10	10
617-18821-11	11
617-18821-12	12
617-18821-13	13
617-18821-14	14
617-18821-15	15

FEATURES :

- FOOT FORM contour insole.
- Specialized rubber compound prevents ozone deterioration.
- Seamless molded construction with SAFE-TOE steel toe.

MATERIAL: PVC
COLOR: BLACK
RESISTANCE: WATER



NITRILE GLOVES



NITRILE GLOVES

PART #	DESCRIPTION	SIZE
6MBLUN-S	5.5 BLUE NITRILE TEXTURED FINGERTIP	S
6MBLUN-M	5.5 BLUE NITRILE TEXTURED FINGERTIP	M
6MBLUN-L	5.5 BLUE NITRILE TEXTURED FINGERTIP	L
6MBLUN-XL	5.5 BLUE NITRILE TEXTURED FINGERTIP	XL

NITRILE GLOVES



PART #	DESCRIPTION	SIZE
4MBLKN-M	4 BLACK NITRILE TEXTURED TIP	M
4MBLKN-L	4 BLACK NITRILE TEXTURED TIP	L
4MBLKN-XL	4 BLACK NITRILE TEXTURED TIP	XL

SHADOW GLOVES



PART #	DESCRIPTION	SIZE
6MBLKN-M	6 MIL BLACK TEXTURED FINGER TIP	M
6MBLKN-L	6 MIL BLACK TEXTURED FINGER TIP	L
6MBLKN-XL	6 MIL BLACK TEXTURED FINGER TIP	XL
6MBLKN-XXL	6 MIL BLACK TEXTURED FINGER TIP	XXL

CATCH GLOVES



PART #	DESCRIPTION	SIZE
9MORGN-M	9 MIL ORANGE FULLY TEXTURED	M
9MORGN-L	9 MIL ORANGE FULLY TEXTURED	L
9MORGN-XL	9 MIL ORANGE FULLY TEXTURED	XL
9MORGN-XXL	9 MIL ORANGE FULLY TEXTURED	XXL

PRO WORK GLOVES



PART #	DESCRIPTION	SIZE
9MBLKN -L	9 MIL BLACK FULLY TEXTURED	L
9MBLKN -XL	9 MIL BLACK FULLY TEXTURED	XL
9MBLKN-XXL	9 MIL BLACK FULLY TEXTURED	XXL

GENERAL PURPOSE GLOVES

POLYURETHANE COATED MACHINE KNIT

PART NUMBER	SIZE	QTY/BOX
6896CS	SMALL	12
6896CM	MEDIUM	12
6896CL	LARGE	12
6896CXL	X-LARGE	12

- 13 GAUGE BLACK, NYLON SHELL
- BLACK, PU PALM COATING



COR-TOUCH GRAY FLAT NITRILE PALM COATING

PART NUMBER	SIZE	QTY/BOX
6890-S	SMALL	12
6890-M	MEDIUM	12
6890-L	LARGE	12
6890-XL	X-LARGE	12

- 13 GAUGE WHITE NYLON.
- GRAY FLAT NITRILE PALM COATING.



VALOR GRAY CUT RESISTANT GLOVES (Cut Level 3)

PART NUMBER	SIZE	QTY/BOX
3711GS	SMALL	12
3711GM	MEDIUM	12
3711GL	LARGE	12
3711GXL	X-LARGE	12

- 13 GAUGE , SALT & PEPPER UHMWPE SHELL.
- CE CUT LEVEL 3
- GRAY POLYURETHANE COATING.



CORDOVA CUT RESISTANT COATED GLOVES, A4 CUT LEVEL, POLYURETHANE

PART NUMBER	SIZE
C6 3734L	LARGE
C6 3734XL	X-LARGE



ION-FLEX™, Latex, Crinkle

PART NUMBER	SIZE
C6 3993L	LARGE
C6 3993XL	X-LARGE

The Cordova Safety Products brand ION-FLEX™ glove provides a 13-gauge, red, nylon shell with a dark gray, crinkle finish, latex palm coating.



CORDOVA SAFETY PRODUCTS OIL DEMON™ GLOVE

PART NUMBER
C6 5300J



LEATHER GLOVES

GUNN CUT LEATHER PALM

PART NUMBER	SIZE	QTY/BOX
GLP1-MN-B2D	ONE SIZE	12

- SPLIT COW LEATHER .
- RUBBERIZED SAFETY CUFF.
- B GRADE LEATHER, COTTON LINING.



COWHIDE LEATHER DRIVING GLOVE

PART NUMBER	SIZE	QTY/BOX
8201S	SMALL	12
8201M	MEDIUM	12
8201L	LARGE	12
8201XL	X-LARGE	12
8201XXL	2X-LARGE	12

- STANDARD GRAIN COWHIDE
- UNLINED
- SHIRRED ELASTIC BACK
- STRAIGHT THUMB.



WELDING GLOVES

PART NUMBER	DESCRIPTION	SIZE
7630	SELECT SHOULDER LEATHER RED	X-LARGE
7620	SELECT SHOULDER LEATHER BLUE	X-LARGE

- WING THUMB
- REINFORCED PALM
- KEVLAR SEWN
- FULL SOCK LINING
- FULLY WELTED SEAMS
- MIG



WINTER GLOVES



- Select grain pigskin leather
- Keystone thumb
- Gunn cut
- Shirred elastic wrist

COWHIDE DRIVER GLOVES

PART NUMBER	SIZE
8245L	LARGE
8245XL	X-LARGE



- This leather driver is constructed of standard grain cowhide and is lined with white fleece for added

PIGSKIN THINSULATE

PART NUMBER	SIZE
8750L	LARGE
8750XL	X-LARGE



- Men's lined brown jersey
- Red cotton lined
- Slip-on style
- Polyester/Cotton blend

JERSEY GLOVES

PART NUMBER	SIZE
1600L	LARGE



- Two-ply thermal shell
- 13-GA red nylon outer shell
- Brushed acrylic inner lining
- 3/4 foam PVC coating
- CE/EN 388: 3232
- CE/EN 407: Contact Cold Level 2

COLD SNAP MAX

PART NUMBER	SIZE
3905M	MEDIUM
3905L	LARGE
3905XL	X-LARGE
3905XXL	XX-LARGE



- Thermal 7-GA
- High visibility green terry shell
- Brushed acrylic/polyester interior
- Black foam latex palm coating

THERMA-VIZ

PART NUMBER	SIZE
3999L	LARGE
3999XL	X-LARGE



- Thermal 10-GA
- High visibility yellow terry shell
- Brushed acrylic/polyester interior
- Blue crinkle finish latex coating

THERMA-VIZ

PART NUMBER	SIZE
3889L	LARGE
3889XL	X-LARGE

UNIVERSAL OIL & ABSORBENT PADS

Universal Spill Kit



- Suitable for industrial and environmental applications for quick absorption of oil based fluids.

PART NUMBER

11215-U

11215-O



Oil Only Sorbent Pads

- Oil sorbent pads are ideal for soaking up oil, fuel, grease, transmission fluid, coolants and many other liquids except water.
- Oil only absorbent pads can be used for marine oil spill clean-ups as well as outdoor oil spills or leaks on land.



Part Number	Width	Length	QTY/BALE
OIL-100	15"	18"	100
OIL-200	15"	18"	200

Universal Sorbent Pads

- Universal Sorbent Pads are an economical way to clean up both water and oil based fluid leak, drips, or spills.
- Ideal for many indoor MRO (Maintenance, Repair & Operations) spill control areas.



Part Number	Width	Length	QTY/BALE
UNI-100	15"	18"	100
UNI-200	15"	18"	200

Oil Only Absorbent Socks*

- Oil Only Absorbent Socks soak up oil, diesel fuel, grease, transmission fluid, hydraulic fluid, coolants and may other fluids except water.



Part Number	Width	Length	QTY/CA
WSOCK-440	3"	48"	40

Medium-Duty Universal Absorbent Socks*

- Medium-Duty Absorbent Socks soak up both oil and water.
- Provides great mobility.



Part Number	Width	Length	QTY/CA
GSOCK-440	3"	48"	40

Sock and Net Boom

5 in Dia x 10 ft L, 34.14 gal Absorption, Polypropylene, White (4 Booms per Bale)



Part Number

B510SN

Oil and Universal Drum Top Cover for 55 gal. Drums

Drum top cover for 55 gallon drums 25/pk



Part Number

DRUMTOP-O

DRUMTOP-U

Oil And Universal Heavy Weight Roll



Part Number	Width	Length	QTY/BALE
262-BRO150	30"	150'	1
GDML150	30"	150'	1



FIRST AID KITS

K-FAK-10

- Plastic first aid kit designed for every type of workplace.
- Supplied with enough supplies to treat 10 people.

K-FAK-25

- Metal first aid kit designed for every type of workplace.
- Supplied with enough supplies to treat 25 people.



IGLOO COOLERS

385-421

2 Gallon

385-48153

5 Gallon



SAFETY GAS CANS



258-UI-20-FS

258-UI-50-FS

258-UI-50-FSY

258-UI-50-FSB

PROPANE SUPPLIES

328-QLP

Blue Propane Cylinder

328-QLM-PRO

Yellow Gas Propane Cylinder

TS8000

Bernzomatic Trigger Start Torch

TS8000

Trigger Torch - Use with map & propane

TS3505T

Trigger Torch - Use with propane only

TS4000T

Trigger Torch - Use with map & propane



MARKING PRODUCTS

MARKERS FOR THE PROFESSIONAL



PART NUMBER	DESCRIPTION
UMARK10101	BLACK 2mm
UMARK10102	BLUE 2mm
UMARK10103	GREEN 2mm
UMARK10104	RED 2mm
UMARK10105	WHITE 2mm
UMARK10106	YELLOW 2mm
UMARK10107	ORANGE 2 mm



A-10 Industrial Paint Marker
Heavy Duty Tip

****Sold 12/Pack or individually****

IN STOCK!



PART NUMBER	COLOR	TIP TYPE
30001	BLACK	FINE



PART NUMBER	COLOR	TIP TYPE
652-15001	BLACK	KING CHISEL

****SOLD BY THE DOZEN
OR INDIVIDUALLY****

PART NUMBER	COLOR	TIP TYPE
37001	BLACK	ULTRA FINE



#200 Lumber Crayons

- Known as layout chalk or “keel”, wax based, lead-free formula.
- Shape fits the #109 Peterson holder, #106 holder & #108 holder.
- Weather-resistant, fade-resistant & Lead-free.

Applicable Materials :

Cardboard	Paper / Plastic	Most Metals
Concrete	Rubber	Lumber

PART NUMBER	COLOR	QTY/BOX
454-80350	WHITE	12
454-80351	YELLOW	12
454-80352	RED	12
454-80353	BLACK	12
454-80355	BLUE	12
454-80358	PURPLE	12

MARKING PAINT

- STRIPE WATER BASED MARKING PAINT is a fast drying marking paint designed to be sprayed in an inverted position. Produces vivid marks, does not clog, and is safe for grass.
- Meets APWA color standards and is VOC compliant. May be sprayed by hand or with the Z-605 marking gun or Z-606 marking wand.

Suggested Uses:

- Utility Marking
- Golf Courses
- Landscaping
- Construction Sites
- Surveying and Mining



PART NUMBER	COLOR (20 oz. Can)
20-651	ALUMINUM
20-652	WHITE
20-654	RED FLUORESCENT
20-657	ORANGE FLUORESCENT
20-668	GREEN FLUORESCENT
20-669	BLUE FLUORESCENT
20-671	SAFETY RED
20-676	HI-VIZ YELLOW
20-679	PINK FLUORESCENT

ECONOMY SPRAY PAINT

PART NUMBER	COLOR (20 oz. Can)
55275830	FLAT BLACK
55276830	GLOSS BLACK

RUSTOLEUM SPRAY PAINT

PART NUMBER	COLOR (20 oz. Can)
254142	GLOSS WHITE
254146	GLOSS BLACK

TRAFFIC CONE

28" Orange Reflective 10 LB Traffic Cone Black base W/6" & 4" Collar

PART NUMBER

CBIRS70046



PAINT MARKING WAND

PART NUMBER

2393000 (Large)

210188 (Small)





MEASURING TAPES

PART NUMBER	DESCRIPTION
PG25	25FT STANDARD LOCKING TAPE MEASURE
PG1825UB	25FT ULTRA BRIGHT DOUBLE SIDED LOCKING
PG1825VMAG	25FT MAGNETIC TIP TAPE MEASURE
PG1830	30FT TAPE MEASURE
RR318N-2	1,000FT MEASURING WHEEL
OTR18100	½" X 1 00FT TAPE MEASURE
OTRS1810200E	½" X 200FT TAPE MEASURE



LEVELS

PART NUMBER	DESCRIPTION
LKB24	24" ALUMINUM BOX BEAM LEVEL
LKB48	48" ALUMINUM BOX BEAM LEVEL
LKB72	72" ALUMINUM BOX BEAM LEVEL



MARKING CHALK

PART NUMBER	DESCRIPTION
G100CL	GIANT STRING CHALK LINE REEL -100' OF STRING
8B	PROCHALK MARKING CHALK -BLUE 8OZ.
8W	PROCHALK MARKING CHALK -WHITE 8OZ.
8BLACK	PROCHALK SEMI-PERMANENT CHALK -BLACK 8OZ.
8R	PROCHALK SEMI-PERMANENT CHALK -RED 8OZ.



PAINTING SUPPLIES

CHIP BRUSHES



PART NUMBER	DESCRIPTION
4491500-1/2	1/2" Chip Brush
44915001	1" Chip Brush
44915002	2" Chip Brush
44915003	3" Chip Brush
44915004	4" Chip Brush

PUTTY KNIFE



PART NUMBER	DESCRIPTION
P3971-1-1/2	1-1/2" PAINT BRUSH, POLYESTER
P3972-2	2" PAINT BRUSH, POLYESTER
P3973-3	3" PAINT BRUSH, POLYESTER

POLY PAINT BRUSH




PART NUMBER	DESCRIPTION
02000	HYDE 1-1/4" PUTTY KNIFE FLEXIBLE
02050	HYDE 1-1/4" PUTTY KNIFE STIFF
02100	HYDE 1-1/2" PUTTY KNIFE FLEXIBLE
02150	HYDE 1-1/2" PUTTY KNIFE STIFF
02250	HYDE 2" PUTTY KNIFE FLEXIBLE
02300	HYDE 2" PUTTY KNIFE STIFF
04352	HYDE 3" PUTTY KNIFE FLEXIBLE

PAINTING SUPPLIES

ROLLER COVERS

PART NUMBER	DESCRIPTION
RC113-4	4" Roller Cover
RC113-9	9" Roller Cover



ROLLER FRAME

PART NUMBER	DESCRIPTION
CFA4641-11	4" Roller Frame
CFA9641-12	9" Roller Frame



METAL PAINT TRAY

PART NUMBER	DESCRIPTION
425-11764290	Metal Paint Tray



DISPOSABLE PLASTIC LINER

PART NUMBER	DESCRIPTION
449-RM410	9" Tray Liner



ADVANCED CABLE TIES, INC.

PART NUMBER	LENGTH	TENSILE STRENGTH	COLOR	QTY PER BAG
(A3) AL-04-18-0-C	4"	18 LBS.	BLACK	100
(A3) AL-04-18-9-C	4"	18 LBS.	WHITE	100
(A3) AL-07-50-0-C	7"	50 LBS.	BLACK	100
(A3) AL-07-50-2-C	7"	50 LBS.	RED	100
(A3) AL-07-9-2-C	7"	50 LBS.	WHITE	100
(A3) AL-08-120-0-C	8"	120 LBS.	BLACK	100
(A3) AL-11-50-0-C	11"	50 LBS.	BLACK	100
(A3) AL-11-50-2-C	11"	50 LBS.	RED	100
(A3) AL-11-50-9-C	11"	50 LBS.	WHITE	100
(A3) AL-11-50-COLORS-C	11"	50 LBS.	MULTICOLOR	100
(A3) AL-14-50-0-C	14"	50 LBS.	BLACK	100
(A3) AL-14-50-2-C	14"	50 LBS.	RED	100
(A3) AL-14-50-9-C	14"	50 LBS.	WHITE	100
(A3) AL-14-120-0-L	14"	120 LBS.	BLACK	50
(A3) AL-14-120-9-L	14"	120 LBS.	WHITE	50
(A3) AL-24-120-0-L	24"	120 LBS.	BLACK	50
(A3) AL-24-120-9-L	24"	120 LBS.	WHITE	50
(A3) AL-36-175-0-L	36"	175 LBS.	BLACK	50
(A3) AL-36-175-9-L	36"	175 LBS.	WHITE	50

DUAL LOOP CABLE TIE

PART NUMBER	LENGTH	TENSILE STRENGTH	COLOR	QTY/ BAG
(A3) AL-13-150-DLIT30L (Dual Loop Cable Tie)	13"	150	BLACK	50
(A3) AL-19-150-DLIT30L (Dual Loop Cable Tie)	13"	150	BLACK	50

CABLE TIE REMOVER TOOL

A3 MG-1300



CABLE TIE MOUNTING PADS

(A3) AL-MP-750-9-C	3/4" 100/PACK
(A3) AL-MP-1000-9-C	1" 100/PACK



NYLON SLINGS

Advantages:



- A webbing of double-ply construction with stuffers, made of high-tenacity yarns.
- Edges consist of twisted tire-cord yarns.
- Webbing is dyed and impregnated with a high-quality mix of various binders which enhance abrasion resistance.
- Pro-Edge® slings are available in nylon or polyester.

Part Number	Description	Vertical	Choker	Vertical Basket
EE2924RSN	2" X 4' 2PLY EYE TO EYE NYLON	6,400LBS	5,120LBS	12,800LBS
EE2926RSN	2" X 6' 2PLY EYE TO EYE NYLON	6,400LBS	5,120LBS	12,800LBS
EE2928RSN	2" X 8' 2PLY EYE TO EYE NYLON	6,400LBS	5,120LBS	12,800LBS
EE29210RSN	2" X 10' 2PLY EYE TO EYE NYLON	6,400LBS	5,120LBS	12,800LBS
EE29212RSN	2" X 12' 2PLY EYE TO EYE NYLON	6,400LBS	5,120LBS	12,800LBS
EE29214RSN	2" X 14' 2PLY EYE TO EYE NYLON	6,400LBS	5,120LBS	12,800LBS
EE29216RSN	2" X 16' 2PLY EYE TO EYE NYLON	6,400LBS	5,120LBS	12,800LBS
EE29220RSN	2" X 20' 2PLY EYE TO EYE NYLON	6,400LBS	5,120LBS	12,800LBS
QSF2X3	Nylon Flat Quick Sleeve 2 x 3	X	X	X
2NQSF	Nylon Flat Quick Sleeve 2"	X	X	X

RUBBER TARP STRAPS

Part Number	Length w/ Hooks	Min Install Length	Max Install Length
5409	13"	14"	18"
5415	19"	21"	27"
5421	25"	18"	36"
5431	35"	39"	51"
5441	45"	50"	66"



Part Number	Description
06265	34" Adjustable strap w/hook end

RATCHET STRAPS

RATCHET STRAP WITH FLAT HOOK

LENGTH	2"	3"	4"
27	5822-27	5332-27	5942-27
30	5822-30	5332-30	5942-30
40	5822-40	5332-40	5942-40



RATCHET STRAP WITH CHAIN ANCHOR

LENGTH	2"	3"	4"
27	5823-27	5333-27	5943-27
30	5823-30	5333-30	5943-30
40	5823-40	5333-40	5943-40



RATCHET STRAP WITH GRAB HOOK

LENGTH	2"	3"	4"
27	5824-27	5334-27	5944-27
30	5824-30	5334-30	5944-30
40	5824-40	5334-40	5944-40



RATCHET STRAP WITH J- HOOK

LENGTH	2"	3"	4"
27	5826-27	5336-27	5946-27
30	5826-30	5336-30	5946-30
40	5826-40	5336-40	5946-40



SELF LOCKING HOOKS-BKL WITH BRONZE BUSHING (SWIVEL EYE TYPE)

PART NUMBER	MODEL	CHAIN SIZE	GRADE	WORKING LIMIT (lbs.)
590104	BKL-7/8-10	5/16"	100	5,700
590106	BKL-10-10	3/8"	100	8,800
590107	BKL-13-10	1/2"	100	15,000
590108	BKL-16-10	5/8"	100	22,600
590109	BKL-18/20-10	3/4"	100	35,300



G80 CLEVIS GRAB HOOK

PART NUMBER	WORKING LOAD LIMIT (lbs.)	CHAIN SIZE	DESCRIPTION
1/4GRABHOOK	3,500	1/4"	CLEVIS GRAB HOOK
5/16GRABHOOK	4,500	5/16"	CLEVIS GRAB HOOK
CX06-1618-Y-ADV	7,100	3/8"	CLEVIS GRAB HOOK
CX06-1620-Y-ADV	12,000	1/2"	CLEVIS GRAB HOOK
CX06-1035-ADV	18,000	5/8"	CLEVIS GRAB HOOK



G80 CLEVIS SLIP HOOKS (NOT FOR OVERHEAD LIFTING)

PART NUMBER	WORKING LOAD LIMIT (lbs.)	CHAIN SIZE	DESCRIPTION
CX06-1646-Y-ADV	5,500	3/8"	CLEVIS SLIP HOOK
CX06-1625-ADV	9,400	1/2"	CLEVIS SLIP HOOK



SCREW PIN ANCHOR SHACKLES

PART NUMBER	DESCRIPTION	WORKING LOAD LIMIT (TONS)
1/4SPAS	1/4" ANCHOR SHACKLE	3/4
5/16SPAS	5/16" ANCHOR SHACKLE	1
3/8SPAS	3/8" ANCHOR SHACKLE	2
1/2SPAS	1/2" ANCHOR SHACKLE	3.3
5/8SPAS	5/8" ANCHOR SHACKLE	5
3/4SPAS	3/4" ANCHOR SHACKLE	7
7/8SPAS	7/8" ANCHOR SHACKLE	9.5
1SPAS	1" ANCHOR SHACKLE	12.5
772005080	2" ANCHOR SHACKLE	43



Cook Brothers Container Lines



*7/8x78' W/ Button Installed One End - S88WRS875x78CSB

*7/8x115' W/ Button Installed One End - S88WRS875x115CSB

6x36 Wire Center

Minimum Break Strength 58,800 LBS

ROH-28 Replacement Container Hook Available - S88 ROH-28



AIR HOSE AND ACCESSORIES



FLEXZILLA 3/8" & 1/2" AIR HOSES

LG HFZ3802YW2B	3/8" X 2' Whip Hose; 1/4" Ball Swivel
LG HFZ3804YW2B	3/8" X 4' Whip Hose; 1/4" Ball Swivel
LG HFZ3806YW2B	3/8" X 6' Whip Hose; 1/4" Ball Swivel
LG HFZ3825YW2	3/8" X 25' with 1/4" MNPT Fittings
LG HFZ3850YW2	3/8" X 50' with 1/4" MNPT Fittings
LG HFZ3850YW3	3/8" X 50' with 3/8" MNPT Fittings
LG HFZ38100YW2	3/8" X 100' with 1/4" MNPT Fittings
LG HFZ38250YW	3/8" X 250' Bulk Air Hose on a Reel
LG HFZ1202YW3S	1/2" X 2' Whip; 3/8" Pipe/Swivel
LG HFZ1202YW4S	1/2" X 2' Whip; 1/2" Pipe/Swivel
LG HFZ1204YW3S	1/2" X 4' Whip; 3/8" Pipe/Swivel
LG HFZ1204YW4S	1/2" X 4' Whip; 1/2" Pipe/Swivel
LG HFZ1206YW3S	1/2" X 6' Whip; 3/8" Pipe/Swivel
LG HFZ1206YW4S	1/2" X 6' Whip; 1/2" Pipe/Swivel
LG HFZ1225YW3	1/2" X 25' with 3/8" MNPT Fittings
LG HFZ1250YW3	1/2" X 50' with 3/8" MNPT Fittings
LG HFZ1250YW4	1/2" X 50' with 1/2" MNPT Fittings
LG HFZ12100YW3	1/2" X 100' with 3/8" MNPT Fittings
LG HFZ12100YW4	1/2" X 100' with 1/2" MNPT Fittings
LG HFZ12250YW	1/2" X 250' Bulk Air Hose on a Reel

Gates Safety Stripe air hoses provide a durable, premium hose for garage and service station air impact tools. Oil and abrasion resistant rubber cover.



GATES SAFETY STRIPE AIR HOSES

GR 27489	3/8" X 50' with 1/4" MNPT Fittings
GR 27492	1/2" X 50' with 1/2" MNPT Fittings

Legacy Workforce air hoses are designed for a wide range of industrial, construction, and agricultural applications. Medium oil resistant tube with synthetic rubber cover.



LEGACY WORKFORCE AIR HOSES

LG HRE3850RD2	3/8" X 50' with 1/4" MNPT Fittings
LG HRE1250RD3	1/2" X 50' with 1/2" MNPT Fittings



Thermoid Versicon is designed to meet demanding work environments found in shipyards, steel processing automotive plants and construction industries, as well as aluminum reduction and other applications where a high degree of electrical non-conductivity is required. Its spiral polyester reinforcing yarn retains strength and flexibility even in extreme temperatures, and its Nitrile, Class A tube and synthetic cover are ideal for conveying oil, diesel, kerosene, fuel oil and other petroleum-based products while resisting oil, solvents, cracking, abrasion and ozone. Versicon hose meets a minimum of 1,000,000 ohms per inch resistance when tested with a 1,000-volt D.C. megger. Not recommended for a variety of unleaded gasoline. Comparable to WH H115 hose

THERMOID VERISCON

TD 00447504400	1/4" X 700' VERSICON 300 PSI
TD 00447506400	3/8" X 700' VERSICON 300 PSI
TD 00447508400	1/2" X 700' VERSICON 300 PSI
TD 00447512400	3/4" X 700' VERSICON 300 PSI
TD 00447516400	1" X 700' VERSICON 300 PSI
TD 00447520300	1-1/4" X 550' VERSICON 250 PSI
TD 00447524300	1-1/2" X 400' VERSICON 250 PSI



Thermoid ValuFlex is one of the most versatile general service air and water hoses available. ValuFlex hoses are lightweight, flexible, resists abrasion, heat & ozone.

THERMOID VALUFLEX

TD 00114504400	1/4" X 700' VALUFLEX 300 PSI
TD 00114506400	3/8" X 700' VALUFLEX 300 PSI
TD 00114508400	1/2" X 700' VALUFLEX 300 PSI
TD 00114512400	3/4" X 700' VALUFLEX 300 PSI
TD 00114516400	1" X 700' VALUFLEX 300 PSI
TD 00114520200	1-1/4" X 550' VALUFLEX 200 PSI
TD 00114524200	1-1/2" X 400' VALUFLEX 200 PSI
TD 00114532200	2" X 250' VALUFLEX 200 PSI



FLEXZILLA AIR HOSE REELS

LG L8305FZ	3/8" X 50' Levelwind Retractable
LG L8306FZ	3/8" X 75' Levelwind Retractable
LG L8335FZ	1/2" X 50' Levelwind Retractable



COXREELS P-series Single Arm

MODEL WITH HOSE	HOSE I.D. & LENGTH	PSI	LBS.	MODEL NO HOSE
C0 P-LP-350	3/8" X 50'	300	43	C0 P-LPL-350
C0 P-LP-450	1/2" X 50'	300	48	C0 P-LPL-450



COXREELS TSH-Series Dual Arm

MODEL WITH HOSE	HOSE I.D. & LENGTH	PSI	LB S.	MODEL NO HOSE
C0 TSH-N-350	3/8" X 50'	300	61	C0 TSHL-N-350
C0 TSH-N-3100	3/8" X 100'	300	85	C0 TSHL-N-3100
C0 TSH-N-450	1/2" X 50'	300	63	C0 TSHL-N-450
C0 TSH-N-4100	1/2" X 100'	300	95	C0 TSHL-N-4100



JACKHAMMER HOSE ASSEMBLY

M22 JACK-075R-CUASSP 3/4" X 50' Crimped Ends



TRUCK TIRE INFLATOR KIT

LG HGH2-FZ 3/8" X 50' FLEXZILLA Air Hose



FLEXZILLA CHUCK INFLATOR

LG AL2000FZ 20-170 PSI Chuck with 12" Air Hose



FLEXZILLA CHUCK INFLATOR

LG AL2025FZ-1 10-170 PSI Gauge, 3' Air Hose



FLEXZILLA X3 BLOW GUN KIT

LG AG1200FZKIT 6-PC Blow Gun Kit & Accessories



POLYURETHANE RECOIL HOSE

LG LP1410AFZ	1/4" X 10' with 1/4" MNPT Fittings
LG LP1415AFZ	1/4" X 15' with 1/4" MNPT Fittings
LG LP1420AFZ	1/4" X 20' with 1/4" MNPT Fittings
LG LP1425AFZ	1/4" X 25' with 1/4" MNPT Fittings

Industrial Interchange Pneumatic Safety Quick Disconnects

Push-to-connect under zero pressure. Push sleeve up to open valve and engage air flow. Pull sleeve down to shut off air flow and pull top collar down to disengage plug under zero pressure.



Industrial Safety Coupler — Female Pipe				
BODY	F-NPT	BRASS	STEEL	STAINLESS
1/2"	3/8"	—	A55618FZ	—
1/2"	—	—	A55818FZ	—



Industrial Safety Coupler — Male Pipe				
BODY	F-NPT	BRASS	STEEL	STAINLESS
1/2"	3/8"	—	A55628FZ	—
	1/2"	—	A55828FZ	—

Industrial Interchange Pneumatic Safety Quick Disconnects

To disconnect, begin by holding the hose on the nipple side with three of your fingers, leaving your thumb and index finger free. Grab the sleeve with your thumb and index finger and begin to pull the sleeve towards the palm of your hand. After pulling the sleeve, the nipple will move out of the coupler slightly. Continue to hold the hose and coupler sleeve until all air is fully exhausted. After the line is fully exhausted, you are able to safely separate the nipple from the coupler.



Industrial Automatic Sleeve Coupler — Female Pipe				
BODY	F-NPT	BRASS	STEEL	STAINLESS
1/4"	1/8"	2DF1-B	—	—
	1/4"	2DF2-B	—	2DF2-S
	3/8"	2DF3-B	—	2DF3-S
3/8"	1/4"	3DF2-B	—	—
	3/8"	3DF3-B	—	3DF3-S
	1/2"	3DF4-B	—	—
1/2"	3/8"	4DF3-B	—	—
	1/2"	4DF4-B	—	4DF4-S
	3/4"	4DF6-B	—	—
1/2"	6DF4-B	—	—	3/4"
	3/4"	6DF6-B	—	—
	1"	6DF8-B	—	—



Industrial Automatic Sleeve Coupler — Hose Barb				
BODY	BARB	BRASS	STEEL	STAINLESS
1/4"	1/4"	2DS2-B	—	2DS2-S
	3/8"	2DS3-B	—	2DS3-S
3/8"	1/4"	3DS2-B	—	—
	3/8"	3DS3-B	—	3DS3-S
	1/2"	3DS4-B	—	—
1/2"	3/8"	4DS3-B	—	—
	1/2"	4DS4-B	—	4DS4-S
	3/4"	4DS6-B	—	—
3/4"	1/2"	6DS4-B	—	—
	3/4"	6DS6-B	—	—
	1"	6DS8-B	—	—



Industrial Automatic Sleeve Coupler — Male Pipe				
BODY	M-NPT	BRASS	STEEL	STAINLESS
1/4"	1/8"	2DM1-B	—	—
1/4"	2DM2-B	—	2DM2-S	—
3/8"	2DM3-B	—	2DM3-S	—
3/8"	1/4"	3DM2-B	—	—
3/8"	3DM3-B	—	3DM3-S	—
1/2"	3DM4-B	—	—	—
1/2"	3/8"	4DM3-B	—	—
1/2"	4DM4-B	—	4DM4-S	—
3/4"	4DM6-B	—	—	—
1/2"	6DM4-B	—	—	3/4"
3/4"	6DM6-B	—	—	—
1"	6DM8-B	—	—	—



Industrial Automatic Sleeve Coupler — Push-On Barb				
BODY	PUSH-ON	BRASS	STEEL	STAINLESS
1/4"	1/4"	2DB2-B	—	—
	3/8"	2DB3-B	—	—
3/8"	3/8"	3DB3-B	—	—
1/2"	1/2"	4DB4-B	—	—

Industrial Interchange Pneumatic Quick Disconnects

Dixon FF Series, Dixon DF Series, Foster 3, 4, 5, 6 Series, Parker 20-Series, Parker 30-Series, Milton M-Style, H-Style, G-Style Hansen 1000, 400, 500, Hansen 3000, 40000, 5000, 6000



Industrial Manual Sleeve Coupler — Female Pipe				
BODY	F-NPT	BRASS	STEEL	STAINLESS
1/4"	1/8"	2FF1-B	—	—
	1/4"	2FF2-B	2FF2	2FF-S
	3/8"	2FF3-B	—	2FF3-S
3/8"	1/4"	—	3FM2	—
	3/8"	—	3FM3	3FM3-S
	1/2"	—	3FM4	—
1/2"	3/8"	—	4FF3	—
	1/2"	—	4FF4	4FF4-S
	3/4"	—	4FF6	—



Industrial Manual Sleeve Coupler — Male Pipe				
BODY	M-NPT	BRASS	STEEL	STAINLESS
1/4"	1/8"	2FM1-B	—	2FM1-S
	1/4"	2FM2-B	2FM2	2MF2-S
	3/8"	2FM3-B	—	2FN3-S
3/8"	1/4"	—	3FM2	—
	3/8"	—	3FM3	3FM3-S
	1/2"	—	3FM4	—
1/2"	3/8"	—	4FM3	—
	1/2"	—	4FM4	4FM4-S
	3/4"	—	4FM6	—



Industrial Manual Sleeve Coupler — Hose Barb				
BODY	BARB	BRASS	STEEL	STAINLESS
1/4"	1/4"	2FS2-B	2FS2	2FS-S
	3/8"	2FS3-B	—	2FS3-S
3/8"	1/4"	—	F3S2	—
	3/8"	—	F3S3	3FS3-S
	1/2"	—	F3S4	—
1/2"	3/8"	—	F4S3	—
	1/2"	—	F4S4	4FS4-S
	3/4"	—	4FS6	—



Industrial Manual Sleeve Coupler — Push on Barb				
BODY	PUSH-ON	BRASS	STEEL	STAINLESS
1/4"	1/4"	2FB2-B	—	—
	3/8"	2FB3-B	—	—
3/8"	1/4"	—	F3B2	—
	3/8"	—	F3B3	—
	1/2"	—	F3B4	—
1/2"	3/8"	—	F4B3	—
	1/2"	—	F4B4	—



Industrial Plug — Female Pipe				
BODY	F-NPT	BRASS	STEEL	STAINLESS
1/4"	1/8"	—	D2F1	—
	1/4"	D2F2-B	D2F2	D2F2-S
	3/8"	D2F3-B	D2F3	D2F3-S
3/8"	1/4"	—	D3F2	D
	3/8"	D3F3-B	D3F3	D3F3-S
	1/2"	—	D3F4	—
1/2"	3/8"	—	D4F3	—
	1/2"	D4F4-B	D4F4	D4F4-S
	3/4"	D4F6-B	D4F6	—
3/4"	1/2"	—	D6F4	—
	3/4"	—	D6D6	—
	1"	—	D6F8	—



Industrial Plug — Male Pipe				
BODY	M-NPT	BRASS	STEEL	STAINLESS
1/4"	1/8"	D2M1-B	D2M1	D2M1-S
	1/4"	D2M2-B	D2M2	D2M2-S
	3/8"	D2M3-B	D2M3	D2M3-S
3/8"	1/4"	—	D3M2	—
	3/8"	D3M3-B	D3M3	D3M3-S
	1/2"	—	D3M4	—
1/2"	1/4"	—	D4M2	—
	3/8"	—	D2M3	—
	1/2"	D4M4-B	D4M4	D4M4-S
3/4"	3/4"	D4M6-B	D4M6	—
	1/2"	—	D6M4	—
	3/4"	—	D6M6	—
1"	1"	—	D6M8	—



Industrial Plug — Hose Barb				
BODY	BARB	BRASS	STEEL	STAINLESS
1/4"	1/4"	D2S2-B	D2S2	D2S2-S
	3/8"	D2S3-B	D2S3	D2S3
3/8"	1/4"	—	D3S2	—
	3/8"	D3S3-B	D3S3	D3S3-S
	1/2"	—	D3S4	—
1/2"	3/8"	D4S3-B	D4S3	—
	1/2"	D4S4-B	D4S4	D4S4-S
	3/4"	D4S6-B	D4S6	—
3/4"	1/2"	—	D6S4	—
	3/4"	—	D6S6	—
	1"	—	D6S8	—



Industrial Plug — Push-On Barb				
BODY	PUSH-ON	BRASS	STEEL	STAINLESS
1/4"	1/4"	D2B2-B	D2B2	—
	3/8"	—	D2B3	—
3/8"	1/4"	—	D3N2	—
	3/8"	—	D3B3	—
	1/2"	—	D3B4	—
1/2"	1/2"	—	D4B6	—
3/4"	3/4"	—	—	—

Automotive Interchange Pneumatic Quick Disconnects

Dixon J-Series; Parker 10-Series; Milton T-Style, P-Style, G-Style



Automotive Coupler — Female Pipe				
BODY	F-NPT	BRASS	STEEL	STAINLESS
1/4"	1/8"	2JF1-B	—	—
	1/4"	2JF2-B	—	—
	3/8"	2JF3-B	—	—
3/8"	1/4"	—	3JF2	—
	3/8"	—	3JF3	—
	1/2"	—	3JF4	—
3/8"	—	4FF3	—	1/2"
	1/2"	—	4FF4	4FF4-S
	3/4"	—	4FF6	—



Automotive Coupler — Male Pipe				
BODY	M-NPT	BRASS	STEEL	STAINLESS
1/4"	1/8"	2JM1-B	—	—
	1/4"	2JM2-B	—	—
	3/8"	2JM3-B	—	—
3/8"	1/4"	—	3JM2	—
	3/8"	—	3JM3	—
	1/2"	—	3JM4	—
1/2"	3/8"	—	4FM3	—
	1/2"	—	4FM4	4FM4-S
	3/4"	—	4FM6	—



Automotive Coupler — Hose Barb				
BODY	BARB	BRASS	STEEL	STAINLESS
1/4"	1/4"	2JS2-B	—	—
	3/8"	2JS3-B	—	—
3/8"	1/4"	—	3JS2	—
	3/8"	—	3JS3	—
	1/2"	—	3JS4	—
1/2"	3/8"	—	4FS3	—
	1/2"	—	4FS4	4FS4-S
	3/4"	—	4FS6	—



Automotive Coupler — Push-On Barb				
BODY	PUSH-ON	BRASS	STEEL	STAINLESS
1/4"	1/4"	2JB2-B	—	—
	3/8"	2JB3-B	—	—
3/8"	1/4"	—	3JB2	—
	3/8"	—	3JB3	—
	1/2"	—	3JB4	—
1/2"	3/8"	—	4FB3	—
	1/2"	—	4FB4	—



Automotive Plug — Female Pipe				
BODY	F-NPT	BRASS	STEEL	STAINLESS
1/4"	1/8"	—	J2F1	—
	1/4"	J2F2-B	J2F2	—
3/8"	3/8"	—	J2F3	—
	1/4"	—	J3F2	—
	3/8"	—	J3F3	—
1/2"	1/2"	—	J3F4	—
	3/8"	—	J4F3	—
	1/2"	—	J4F4	—
1/2"	3/4"	—	J4F6	—



Automotive Plug — Female Pipe				
BODY	M-NPT	BRASS	STEEL	STAINLESS
1/4"	1/8"	—	J2M1	—
	1/4"	J2M2-B	J2M2	—
	3/8"	—	J2M3	—
3/8"	1/4"	—	J3M2	—
	3/8"	—	J3M3	—
	1/2"	—	J3M4	—
1/2"	3/8"	—	J4M3	—
	1/2"	—	J4M4	—
	3/4"	—	J4M6	—



Automotive Plug — Hose Barb				
BODY	BARB	BRASS	STEEL	STAINLESS
1/4"	1/4"	—	J2S2	—
	3/8"	—	J2S3	—
3/8"	1/4"	—	J3S2	—
	3/8"	—	J3S3	—
	1/2"	—	J3S4	—
1/2"	3/8"	—	J4S3	—
	1/2"	—	J4S4	—
	3/4"	—	J4S6	—



Automotive Plug — Push-On Barb				
BODY	PUSH-ON	BRASS	STEEL	STAINLESS
1/4"	1/4"	—	J2B2	—
	3/8"	—	J2B3	—
3/8"	3/8"	—	J3B3	—
1/2"	1/2"	—	J4B4	—

ARO Interchange Pneumatic Quick Disconnects

Dixon M-Series, Parker 50-Series, Hansen 210/310, Milton A/AA-Style



ARO Coupler — Female Pipe				
BODY	F-NPT	BRASS	STEEL	STAINLESS
1/4"	1/4"	2MF2-B	2MF2-PL	—
	3/8"	2MF3-B	2MF3-PL	—
3/8"	3/8"	—	3MF3-PL	—



ARO Plug — Female Pipe				
BODY	F-NPT	BRASS	STEEL	STAINLESS
1/4"	1/4"	M2F2-B	M2F2	—
	3/8"	—	M2F3	—
3/8"	3/8"	—	M3F3	—



ARO Coupler — Male Pipe				
BODY	M-NPT	BRASS	STEEL	STAINLESS
1/4"	1/4"	2MM2-B	2MM2-PL	—
	3/8"	2MM3-B	2MM3-PL	—
3/8"	—	3MM3-PL	—	3/8"
	1/2"	—	3MM4-PL	—



ARO Plug — Male Pipe				
BODY	M-NPT	BRASS	STEEL	STAINLESS
1/4"	1/8"	—	M2M1	—
	1/4"	M2M2-B	M2M2	—
	3/8"	—	M2M3	—
3/8"	3/8"	—	M3M3	—



ARO Coupler — Hose Barb				
BODY	BARB	BRASS	STEEL	STAINLESS
1/4"	2MS2-B	2MS2-PL	—	1/4"
3/8"	2MS3-B	2MS3-PL	—	—
3/8"	3/8"	—	3MS3-PL	—



ARO Plug — Hose Barb				
BODY	BARB	BRASS	STEEL	STAINLESS
1/4"	—	M2S2	—	1/4"
	3/8"	—	M2S3	—
3/8"	3/8"	—	M3S3	—



ARO Coupler — Push-On Barb				
BODY	PUSH-ON	BRASS	STEEL	STAINLESS
1/4"	1/4"	DC3842L	—	—
	3/8"	DC3844L	—	—



ARO Plug — Push-On Barb				
BODY	PUSH-ON	BRASS	STEEL	STAINLESS
1/4"	1/4"	—	M2B2	—
	3/8"	—	DCP3744L	—

RAGS & TOWELS

COLORED COTTON RAGS



PART NUMBER	LBS	MATERIAL
WC10LB	10 LBS	T-SHIRT
WC25LB	25 LBS	T-SHIRT
WC50LB	50 LBS	T-SHIRT

COLORED FLEECE RAGS



PART NUMBER	LBS	MATERIAL
50LBFLEECE	50 LBS	FLEECE

WHITE COTTON RAGS



PART NUMBER	LBS	MATERIAL
WC25LBW	25 LBS	T-SHIRT



SCOTT SHOP TOWELS

- Super Strong.
- Easily absorbs liquids, oils and grease.
- Ideal for oil changes and refilling fluids.
- Great for general automotive maintenance.
- POP-UP box with built in handle allows you to take the box on the job while keeping rags clean.

PART NUMBER	75260	75190	75130
BOX COUNT	200 PER	200 PER	30 PER
COLOR	WHITE	BLUE	BLUE

WYPALL^{*}
BRAND

- Professional Wypall X70 Wipers
- Jumbo Roll, Perforated

PART NUMBER	DESCRIPTION	ROLL
SANI955	WHITE, 12.5 X 13.4	870 TOWELS/ROLL
41055	RED 12.2X12.4	X80 HEAVY DUTY /ROLL



FLOOR DISPENSER



PART NUMBER
412-80596

WALL MOUNT



PART NUMBER
412-80579

JANITORIAL PAPER PRODUCTS

REGULAR TOILET TISSUE 96/case



PART NUMBER	PLY	SHEETS/RL	ROLL/CA
HP6283453	2	500	96

JUMBO TOILET TISSUE ROLL



PART NUMBER	PLY	LENGTH	ROLL/CA
NP1210002P	2	1000'	12

PAPER TOWELS

PART NUMBER	ROLL SIZE	ROLLS/CASE	COLOR
NP12350N	7-7/8" X 350'	12	BROWN
NP6800ENC	7-7/8" X 800'	6	BROWN
S1296	7-7/8" X 800'	6	WHITE



PAPER TOWEL DISPENSER

PART NUMBER	GOES WITH:
EMP950	NP6800ENC
EMP420	ELCP660013



HOUSEHOLD PAPER TOWEL

PART NUMBER	PLY	SHEETS/ROLL	ROLLS/CASE
PP-WIN122085	2	85	30



PREMIUM WHITE C-FOLD TOWEL

PART NUMBER	TOWEL SIZE	PACK SIZE	QTY/CASE
S1010	13.25" X 10.25"	12 PACKS OF 200	2400



WHITE CENTERPULL TOWEL 2 PLY

PART NUMBER	TOWEL SIZE	PACK SIZE	QTY/CASE
ELCP660013	7.6 X 8.9	600 SHEETS	6 ROLLS



GARBAGE BAGS

REGULAR DUTY

- POPULAR AMONG CLEANING CREWS, JANITORS, MAID SERVICES, SCHOOLS, AND HEALTH CARE.
- CORELESS ROLLS ARE EASY TO HANDLE, STORE, DISPENSE AND TRACK.
- BAGS HAVE OUTSTANDING DART STRENGTH AND ARE VERY COST EFFECTIVE.

PART NUMBER	MICRON	DESCRIPTION	CAPACITY	QTY/CASE
HC334016C	16 MIC	33 X 40 CLEAR	33 GAL	250
HC386017C	17 MIC	38 X 60 CLEAR	60 GAL	200



HEAVY DUTY

PART NUMBER	MILAGE	DESCRIPTION	CAPACITY	QTY/CASE
VCX-3858XXX	2.0 MIL	38 X 58 BLACK	60 GAL	100



EXTRA HEAVY DUTY

PART NUMBER	DESCRIPTION	CAPACITY	QTY/CASE
HK33DS042B	2'9" X 3' 2"	33 GAL	42



COMMANDER CONTRACTOR BAGS

PART NUMBER	MILAGE	DESCRIPTION	CAPACITY	QTY/CASE
COMMANDER20	3 MIL	33 X 48 BLACK		20



MULTIPURPOSE CLEANERS & DISINFECTANTS



PART NUMBER	DESCRIPTION
26832	SPRAY NINE 32 OZ
26801	SPRAY NINE GALLON
26805	SPRAY NINE 5 GALLON
26855	SPRAY NINE 55 GALLON



INDUSTRIAL CLEANERS / DEGREASERS

PURPLE POWER

PART NUMBER	DESCRIPTION
4315PS	32OZ
4320P	1 GALLON
4325P	5 GALLON
4340	55 GALLON



PRE MOISTENED POP-UP SCRUB TOWELS

PART NUMBER

53-319060



SCRUBS-IN-A-BUCKET

PART NUMBER

25342272



SPRAYAWAY GLASS CLEANER

PART NUMBER

SW50



REGULAR DUTY BLUE TARP

PART NUMBER	SIZE
T0608BB70	6' X 8'
T0810BB70	8' X 10'
T1012BB70	10' X 12'
T1216BB70	12' X 16'
T1620BB70	16' X 20'
T2030BB70	20' X 30'
T3040BB70	30' X 40'

FEATURES:

- INDUSTRIAL GRADE POLYETHYLENE WON'T CRACK IN FREEZING TEMPS.
- TIGHTLY WOVEN & LAMINATED
- DOUBLE STRONG ROPE REINFORCED HEMS
- ROT & TEAR RESISTANT
- RUST RESISTANT GROMMETS
- WATERPROOF



MIL CLEAR CONSTRUCTION FILM

DURABLE LOW DENSITY POLYETHYLENE PROVIDES PROTECTION FROM WEATHER, DUST, & DEBRIS

PART NUMBER	SIZE	CORE	THICK	CATEGORY
6X12-C	12' X 100'	1.5"	6 MIL	CLEAR POLY
RF2012	12' X 100'	1.5"	6MIL	REINFORCED POLY
6X20-C	20' X 100'	1.5"	6MIL	CLEAR POLY



STEP LADDERS



NON-CONDUCTIVE FIBERGLASS
FRAME
SUPPORTS UP TO 300 LBS.

PART NUMBER	DESCRIPTION
6204	4' 300 LB
6206	6' 300 LB
6208	8' 300 LB
6210	10' 300 LB
6212	12' 300 LB



PLASTIC SHRINK WRAP PRODUCTS

INDUSTRIAL FOAM GRIP STRETCH FILM DISPENSER

FOAM GRIP MAKES APPLYING HAND STRETCH FILM COMFORTABLE

PART NUMBER	DESCRIPTION	HOLD FILM SIZES
DASW-EZ	INDUSTRIAL FOAM GRIP	12' - 18'



80 GAUGE BLOWN HAND STRETCH FILM

PART NUMBER	W x L	GAUGE	ROLLS/CASE
NP75002713	18" X 1500"	80	4



80 GAUGE BLOWN HAND STRETCH FILM

PART NUMBER	W x L	GAUGE	ROLLS/CASE
CF-590PB	5" X 1000"	80	12

Disposable, 1" diameter handle is built into each roll.



METAL STRAPPING PRODUCTS



HEAVY DUTY STRAPPING CART

PART NUMBER	STRAPPING TYPE
S160HC-A	STEEL & PLASTIC

STEEL STRAPPING

High strength strapping seals provide a secure seal.



PART NUMBER	STRAPPING TYPE
PCHEMSS34S 3/4" x 1"	STEEL & PLASTIC
PCHEMSS114P 1-1/4" x 2"	PUSH TYPE

STEEL STRAPPING

PROTECT YOUR HEAVY SHIPMENT WITH STRONG STEEL STRAPPING

PART NUMBER	WIDTH	THICKNESS	STRENGTH	APPROX LENGTH	LB/ COIL	COILS/ SKID
DB-34-023	3/4"	.023	1980 lbs.	1796'	100	12
1.25X.031MB	1-1/4	.031	5,550 lbs.	836'	110	20



BEAR PAW HAND CLEANER



B99BP616



B99BP632



B99BP6448



B99BP4128

PART NUMBER	DESCRIPTION	#/PER CASE
B99BP616	12 OZ. Hand Cleaner	6
B99BP632	18 OZ. Hand Cleaner	6
B99BP6448	40 OZ. Hand Cleaner	6
B99BP4128	1 Gallon Hand Cleaner	4
B99BP5GAL	5 Gallon Hand Cleaner	1

LUBRICANTS



- Marvel Mystery Oil® lubricates the entire fuel system, fuel pumps, fuel injectors or carburetors and the top-portion of the cylinders.

PART NUMBER	DESCRIPTION	QTY/CASE
013	MARVEL 32OZ	6
014	MARVEL GAL	4
085	AIR TOOL 32 OZ	6



- WD-40® Multi-Use Product protects metal from rust and corrosion, penetrates stuck parts, displaces moisture and lubricates almost anything. It even removes grease, grime and more from most surfaces.

PART NUMBER	DESCRIPTION	QTY/CASE
110078	11 OZ SMART STRAW	12
490118	WD-40 GALLON	4
300554	WD40 ELECT CONTACT CLEANER	6



- Fluid Film is a solvent free, lanolin based rust/corrosion preventive and lubricant that provides long term protection and lubrication for all metal surfaces.

PART NUMBER	DESCRIPTION	QTY/CASE
275-AS11	12OZ SPRAY	12
275-AS11B	12 OZ SPRAY BLACK	12
275-NAS-8	8OZ W/BRUSH	12
275-NAS-1	1 GALLON	4
275-NAS-5	5 GALLON	1
NASBL5	5 GALLON BLACK	1



FREE ALL DEEP PENETRATING OIL



PART NUMBER	DESCRIPTION	QTY/CASE
296-RE12	11 OZ AEROSOL CAN	12



CRC BRAKLEEN



PART NUMBER	DESCRIPTION	QTY/CASE
05084	NON CHLORINATED BRAKLEEN 14 OZ	12
05089	CHLORINATED BRAKLEEN 20 OZ	12
05086	NON CHLORINATED BRAKLEEN 5-GAL	1



CRC

PART NUMBER	DESCRIPTION
5037	CRC WHITE LITHIUM GREASE 10 OZ.
125-03040	CRC FOOD GRADE SILICONE 10 OZ.
125-03065	CRC FOOD GRADE AEROSOL BELT DRESSING 10 OZ.
125-03095	CRC HEAVY DUTY DEGREASER 20 OZ.
125-05005	CRC POWER LUBE MULTI-PURPOSE LUBRICANT 9 OZ.
125-14010	CRC WASP & HORNET KILLER PLUS DEET FREE 14 OZ.
05048	CRC ZINC-IT GRAY INSTANT COLD GALVANIZED SPRAY PAINT 13 OZ.



BP BLASTER

PART NUMBER	DESCRIPTION
16PBDS	PB BLASTER W/DISPENSER STRAW 11 OZ
16SL	PB BLASTER SILICONE LUBRICANT SPRAY 11 OZ.
PB50	PB BLASTER WHITE MULTI-PURPOSE LUBRICANT 8 OZ.
16-CBD	BP BLASTER CITRUS BASED DEGREASER 11 OZ
128-PB	BP BLASTER PENETRATING OIL 1 GALLON



SPRAYON

PART NUMBER	DESCRIPTION
SP-S00208	SPRYAON AEROSOL CUTTING FLUID 12oz.
425-SC020200	SPRAYON MOLY CHAIN LUBRICANT LU202, -20 to 300 Degrees F 11 OZ.
SC0200000	SPRAYON DRY FILM MOLY LUBE H2 No Food Contact 16 OZ.
S00608	SPRAYON FOOD GR BELT DRESSING



BERKEBILE

PART NUMBER	DESCRIPTION
B101	BERKEBILE 2 + 2 INSTANT GUM CUTTER 13 OZ.
B3220	BERKEBILE CLEAN BREAK 2 + 2 NON-CLORINATED BRAKE CLEANER 14 OZ.

LPS



PART NUMBER	DESCRIPTION
LP57316	LPS FOOD GRADE MACHINE/PENETRATING OIL WITH DETEX, HI FOOD GRADE 11 OZ. (LP01316)
00616	LPS MAGNUM PREMIUM LUBRICANT 11 OZ.
02216	LPS BELT DRESSING WITH DETEX, HI FOOD GRADE 10 OZ.
428-00516	LPS COLD GALVANIZE CORROSION INHIBITOR 14 OZ.
42843100	LPS TAMPATIC EDGE CREME 10 OZ. SQUEEZE TUBE
428-43200	LPS TAMPATIC WAX EDGE LUBE, CUTTING LUBRICANT 13 OZ CONTAINER, SOLID, TUBE, WHITE

LUBRIPLATE



PART NUMBER	DESCRIPTION
293-L0232-098	FOOD GRADE MACHINERY GREASE 14.5 OZ. CARTRIDGE GRADE 2

DUPLICOLOR



PART NUMBER	DESCRIPTION
UC101	RUBBERIZED UNDERCOATING SPRAY PAINT, BLACK 16 OZ.

MASTER MEDIC

PART NUMBER	DESCRIPTION
M2713	POWER STEERING FLUID W/STOP LEAK YELLOW 12 OZ.
M2732	POWER STEERING FLUID W/STOP LEAK YELLOW 32 OZ.

JOHNSEN

PART NUMBER	DESCRIPTION
6752	JOHNSEN STARTING FLUID 10.7 OZ.



RED DEVIL



PART #	DESCRIPTION
RD-0816	RED DEVIL SILICONE CAULKING –60 TO 400 DEG F, 9.8 fl-oz
RD-0826	RED DEVIL 100% CLEAR SILICONE –60 TO 400 DEG F, 9.8 fl-oz
0746	RED DEVIL WHITE PAINTER'S CAULK 40 TO 110 DEG F, 10.1 fl-oz
RD-081660	RED DEVIL BLACK SILICONE –60 TO 400 DEG F, 9 fl-oz
RD-0816/50	RED DEVIL GRAY SILICONE –60 TO 400 DEG F, 9 fl-oz
0736	RED DEVIL SPEED DEMON GENERAL PURPOSE ACRYLIC WHITE CHALK 40 TO 90 DEG F, 10.1 fl-oz
99179259	DOWSIL 732 MULTIPURPOSE SILICONE SEALANT-ALUMINUM 300ML
99179209	DOWSIL 732 MULTIPURPOSE SILICONE SEALANT-BLACK 300ML
99179271	DOWSIL 732 MULTIPURPOSE SILICONE SEALANT – CLEAR 300ML
99179246	DOWSIL 732 MULTIPURPOSE SILICONE SEALANT – WHITE 300ML



CAULKING GUNS	
630-3986	SKELETON CAULKING GUN
215	CRADLE CAULKING GUN

SEASONAL BUYS



VAPORIZER CALCIUM CHLORIDE

PELLETS - 50LB BAGS
PART#A12 VP-CP50BG

- Simply the BEST Ice Melter Avail.
- Effective to -25 F
- The Most Powerful Ice Melt Product on the Market
- 90% Calcium Chloride Pellet Manufactured by Occidental Chemical Corporation
- Works Instantly, Long Lasting
- Per Application, Calcium Chloride Melts: •3x more ice/snow than salt •2x more ice/snow than blend

CALL YOUR LOCAL BRANCH FOR MULTIPALLET PRICING - 45/PALLET



AMERICAN ROCK SALT

50LB BAGS
PART#A12 A12 RS50LBB

- Sodium Chloride/Halite
- Best Value - Cost vs. Coverage
- 100% Effective to 20 F
- Mined with Pride in the USA

CALL YOUR LOCAL BRANCH FOR MULTI-PALLET PRICING - 49/PALLET



CHAPIN 82088B PROFESSIONAL

PART#08 82088B

Sure Spread Salt And Ice Melt Spreader
With Baffles, 80lb Capacity, Poly Hopper



BLUE TINTED ZERO ICE MELT

50LB BAGS
PART#08 9587

- One of the highest grade blends available to consumers
- Effective to -25
- Slight blue tint - lets consumers know where product has already been applied making for both economic and efficient use
- 50 lb ice melt bag, melts ice without staining
- Safe for driveways, walkways and steps

CALL YOUR LOCAL BRANCH FOR MULTIPALLET PRICING - 48/PALLET



SNOW JOE SJBZD SNOW BROOM

PART#08 SJBZD

2-In-1 Telescoping Snow Broom + Ice Scraper
w/18-Inch No-Scratch Foam Head 30 to 49
Inch Aluminum Long Handle



GARANT NPM18KDU SNOW SHOVEL

PART#08 NPM18KD

18 In W Blade, 13-1/2 In L Blade,
Poly Blade, Wood Handle, 51 In Oal



CHAPIN GARANT NORDIC 26" POLY SNOW PUSHER

PART#08 NPP26KDU

Fasteners

Bolts

Grade 5/8 • A325 Structural Bolts • Carriage • Elevator Lag • Plow • Flange • Stainless Steel • Metric

All Thread Rod

Mild Steel • B7 • Stainless • 316/304 • Metric • Plain Zinc HDG Import/ Domestic

Nuts

Hex Nut GR 5/8 • Nylok GR 8 in jam and full size • Toplock Kep • Wing • Coupling Heavy Hex • Tee • Flange Square • GR C • Jam • Metric • Stainless

Washers

USS • SAE • F436 • A325 Malleable • Lock • Star Int & Ext. • Hi Collar • Bevel Metric • Stainless • Hardened SAE & USS Extra Heavy

Socket Products

Socket Head • Flat Countersunk & Buttonhead • Square Head • Stainless Steel • Set Screws • Allen Wrenches Short & Long • Plugs • Metric • SAE

Screws

Tek & Tek5 • Self Tapping • Self Drilling • Round • Pan & Flat Head Machine • Drywall Floorboard • Decking Thread Cutting • Truss • Flat Countersunk & Specialty Screws • Wood • Stainless Hex Lag • Zinc

Supplies & More

Cement Anchors

Wedge Anchors • Nylon Nailins • Stud Anchor • Lag Shields • Drop Ins • Hollow Wall Anchor • Foundation Pin Drive • Epoxy • Weld Studs • Tapcons • LDT Anchors • Spline Bits • SDS Bits • SDS Max Bits

Chain & Hardware, Pins & Snaps

Chain, All Grades • Grab Hook • Clevis Hook • Spas Shackles • Quick Links • Slip Hooks • Clevis • Roll • Lynch Hair • Hitch • Snapper • Cotter • Cotterless Turnbuckles • Eye Bolt Eye Lags • Lifting Eyes Lifting Nut • Snaps • Nylon Slings Aircraft Cable

Chemicals

Spray Paint • Break Clean Cutting Oil • Penetrating Oils • Degreaser • Thread Locking Compounds Marking Paint • Anti Seize Lubricants • Caulking Products • Paint Brushes, Rollers & More

Safety Supplies

Gloves (Latex, Nitrile, Leather) • Safety Glasses • Boots • Safety Cones • Ear Plugs • Dust Masks • Hard Hats • Safety Vests • First Aid Kits • Absorbent Pads Caution/ Danger Tape Shop Towels • 25/50LB Rags • Wypalls • Paint Markers • Spill Kits

Pipe Fittings

Brass • SS • Steel • Copper Bronze Fittings • Push In Air Brake DOT Fittings Malleable • Galvanized Pipe Fittings • Ball Valve Fittings Air Fittings • Non-Compressed Hydraulic Fittings

Hand Tools

Levels • Measuring Wheels Tape Measures • Chalk Lines Rivet Guns • Saw Blade Hole Saws • Helicoil • Drill Bits • Driver & Bit Tips LH Drill Bits • Countersinks Wood Bores & Augers Utility Knives • Adjustable Wrenches • Reamers Annual Cutters • Recip Blades • Mag drivers • Screw Extractors • Taps & Dies Drill Kits

Abrasives

Grinding Discs • Cutoff Discs Flap Wheels • Burrs • Stones Bench Wheels • Stationary Cut-off Wheels • Coated Flap Discs • Wire Brushes • Cup Brushes

Electrical

Battery Accessories Wire Nuts • Wire Coverings Clips & Clamps • Fuses Grommets • Kits • O-Rings Pigtail Assemblies • Shrink Tubing • Relays • Switches Trailer Connectors • Wire Cable • Toggle Switches Extension Cords • Wire Butt Connectors

Shovels & Rakes

Shovels • Rakes • Lute Rakes Brooms • Corn Brooms Sledge Hammers Picks • Hoes

Gases

Propane • Mapp Gas Propane Torches • Gas Cans

Ladders

Step Ladders Extension Ladders

Tapes

Duct Tape • Electrical Tape Teflon Tape • Gorilla Tape Masking Tape • Painters Tape • Barricade Tape

Batteries

AA • AAA • C • D • 6V • 9V

Gloves

Nitrile 4,5,6&9 Mil • Work Gloves • Leather Driving Gloves • Coated Gloves

Bags

Garbage Bags • Contractor Bags • Can Liners

Janitorial

Toilet Paper • Brown Roll Paper Towels • Household Paper Towels • C-Fold Towels • Hand Soap

Industrial Storage

72 Hole Bins • 40 Hole Bins Drawer Bins • Drawer Rack

Milwaukee Power Tools

No Delivery Fee**Vendor Managed Inventory • Just In Time Delivery • Dock to Dock**

BRANCH LOCATIONS

NEW YORK

BINGHAMTON

15 Walter Ave
Binghamton, NY 13901
607-723-7481

ELMIRA

123 Philo Road West
Elmira, NY 14903
607-796-2651

UTICA

36 Wurz Avenue
Utica, NY 13501
315-733-2595

BUFFALO

2540 Walden Ave. #500
Cheektowaga, NY 14225
716-989-3150

HOMER/CORTLAND

206 S Main St.
Homer, NY 13077
607-749-6716

ROCHESTER

156 Newbury St.
Rochester, NY 14613
585-458-1520

WATERTOWN

1040 Bradley St.
Watertown, NY 13601
315-788-5977

PENNSYLVANIA

DURYEA

77 Foote Ave.
Duryea, PA 18642
570-609-5294

SCRANTON

319 Greenridge St.
Scranton, PA 18509
570-342-0208

PITTSTON

118 Brown St.
Pittston, PA 18640
570-655-9152

CAMP HILL

415 Railroad Ave.
Camp Hill, PA 17011
717-975-8151

